# Nederman

## Extraction Arm NEX HD

Ideal fume and dust extractor for heavy duty welding and where high airflows are demanded



NEX HD welding fume and dust extraction arms are the top of the range arms when it comes to high airflows and extraction of fume and dust with higher temperatures than normal. The extraction arms are specially designed for working environments with very heavy smoke, vapours and non explosive dust.

Typical workplaces are the metal fabrication industry or other type of industries where the need for extraction with large airflows is needed. The applications can be welding, laser or hand plasma cutting, metal spraying, grinding where lots of spatter is generated, or other industrial processes where a perfect balanced and easily positioned arm is required.

The NEX HD welding fume and dust extraction arm is also available with a patented hood design. The hood, made of aluminium, is resistant to high temperatures of extracted air (+120°C) and has a very high capturing capacity. The NEX HD model is ideal for heavy duty welding and where high airflows are demanded. The arm is available in four lengths; 2-5 m (6.6-16 ft).

- Arm is suspended by a robust swivel, which allows the product to rotate 360 degrees
- Flexible in all directions, perfectly balanced and very simple to position
- Support mechanism of the arms are encapsulated which protects against dirt
- Can be mounted in combination with different brackets, extension arms or on exhaust rails

Product name	Extraction Arm NEX HD
Noise level (dB(A))	66
Installation	Indoor
Fume temperature	Max. 120 °C (248 F)
Extraction arm diameter (in)	8
Airflow (CFM)	1118
Colour	Blue
Diameter, hose (in)	8 in

CE



### Extraction Arm NEX HD

Description	Arm length (ft)	Weight (lbs)	Model
	10	46	10560332
	14	62	10560432
Extraction arm NEX HD 16 ft (5m) 8" (200mm) diameter	16	73	10560532
NEX-HD Extraction Arm 7 ft (2m) 8 in (200mm) diameter	7	37	10560232




### Extraction Arm NEX HD

	Accessory	Part No
	LED Spotlight/fan switch Nex HD	10376903
Ø	Fan switch Nex HD	10512532
	Spark protection for NEX HD	10512632
	Transformer 230/250 V to 24 V. 25 VA.	10363189
	Transformer 230/250 V to 24 V. 75 VA.	10361560
L	Wall bracket for fume extractor, 2m, 3m	10372215
	Wall bracket for 4-5 m NEX arms	10372722
	Airflow indicator 500-4500 Pa	10375373
	Airflow indicator 40-600 Pa	10375374
	Support 1m NEX	10512732
	Support 2m NEX	10512832
	Kit extension NEX MD/HD 1m	10510332
00	Kit extension NEX MD/HD 2m	10510432
	Electrical Control Box for Light Kit, 115/230V Single Phase	89115569
	Electrical control box for light pkge, 230/460V Three Phase	89115570

### Nederman

#### Extraction Arm NEX HD



mm (inch)

