

Las- en slijptafel

Afzuiging bij de bron



De las- en slijptafel is ontworpen voor het afzuigen van stof en dampen bij de meeste las- en slijpwerkzaamheden. Tevens kan hij worden gebruikt in explosiegevaarlijke omgevingen, indien op de juiste wijze geaard. De tafel is niet geschikt voor snijwerk.

Onder het werkblad vangt een stoflade het zware stof op. De lade wordt eenvoudig geledigd via de voorkant. De tafel heeft een aansluiting bovenop voor het monteren van leidingwerk. Het is aanbevolen om een filter te plaatsen tussen de tafel en de ventilator.

- Eenvoudig te monteren
- Robuuste industriële vormgeving
- Flexibel op het gebied van installatie mogelijkheden


Product naam	Las- en slijptafel
Installatie	Binnen
Materiaal	Plaatstaal
Recycling van materiaal (%)	100
Arm lengte (m)	
Kleur	Blauw
Toelichting van technische gegevens	Max. distributed load on the table - 500 Kg NOTE! Welding and Grinding Table is to be securely anchored to the foundation.

Las- en slijptafel

Naam voor Datasheet	Gewicht (kg)	Model
Welding and grinding table 900 mm	175	10500133*
Welding and grinding table 1350 mm	260	10500233*
Welding and grinding table 2000 mm	360	10500333*

**Max. distributed load on the table - 500 Kg
NOTE! Welding and Grinding Table is to be
securely anchored to the foundation.*

Las- en slijptafel



X: Airflow, m³/h, Y: Static pressure (Pa), A=900, B=1350, C=2000

