

## Hose Reel 884

Heavy duty hose reel for air, water, oil, diesel and grease.

---










Heavy duty hose reel for air, water, oil, diesel and grease. Suitable for long and heavy hoses. Made of epoxy coated die cast aluminium. Ball bearings in drum and swivel

- Fully protected inner mechanisms
- Strong, durable and highly corrosion resistant
- Adjustable outlet arm minimizes friction
- Easy service and cleaning.






Product name	Hose Reel 884
Material recycling (% weight)	100
Connection hose length (m)	1
Colour	Space blue / Blue
Weight (kg)	31,5
Corrosion resistance	Standard
Electric/Spring driven	Spring



## Hose Reel 884

[image]	Type of hose <sup>1</sup>	Media	Delivered with hose	Distribution hose length (m)	Diameter, connection hose (mm)	Distribution hose diameter (mm)	Max working pressure (Mpa)	Max hose length	[model]
		Oil				12.5	7,5	30	30813584*
		Oil				25	5	10	30813384**
	J			25	6	6	35		30813284
		Compressed air ,Water				12.5	1,5	20	30810184*
	D	Compressed air ,Water		20	12.5	12.5	1,5		30810284
		Compressed air ,Water				19	1,5	15	30810384***
	D	Compressed air ,Water		15	19	19	1,5		30810484
		Compressed air ,Water				25	1,5	10	30810584**
	D	Compressed air ,Water		10	25	25	1,5		30810684
	E	Water ,Food		20	12.5	12.5	2		30810884
	E	Water ,Food		15	19	19	2		30811284
	E	Water ,Food		10	25	25	2		30811484
		Water high pressure				10	25	25	30811584****
		Oil				12.5	10	20	30811784*
	I	Oil		20	12.5	12.5	7,5		30811884

## Hose Reel 884

[image]	Type of hose <sup>1</sup>	Media	Delivered with hose	Distribution hose length (m)	Diameter, connection hose (mm)	Distribution hose diameter (mm)	Max working pressure (Mpa)	Max hose length	[model]
		Oil				19	5	15	30812184***
	I	Oil		15	19	19	5		30812284
						19	5	17	30814584***
	B	Oil		10	25	25	5		30813484
	I	Oil		30	12.5	12.5	7,5		30813684
						19	1,5	15	30825584*****
		Compressed air ,Water					1,5	30	30817384*
	D	Compressed air ,Water		30	12.5	12.5	1,5		30817484
	G	Water high pressure		25	10	10	25		30811684
								20	30817784*****

\*For 12,5 mm hose

\*\*For 25 mm hose

\*\*\*For 19 mm hose

\*\*\*\*For 10 mm hose















\*\*\*\*\*Without swivel. For 25 mm hose diameter max 10m hose length

\*\*\*\*\*Without swivel

<sup>1</sup> See table below

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
J		-40 - 100				
D		-30 - 100				
E		-30 - 100				
I		-40 - 100				
B		-30 - 100				
G		-40 - 155				

## Hose Reel 884

	[accessory]	[partno]
	Roller guide.	30341550
	Water gun in chromium plated brass	30400110
	Water gun in stainless steel	30400210
	Watergun EX	30400211
	High temperature water gun	30400310
	Air gun, standard.	30410110
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410
	Swivl. coupl. 1/2(m)-3/8(f) brass	30431510
	Swivl.coupl. 1/2(m)-1/2(f) brass	30431610
	Swivel coupling 1/2(m)- 3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl.coupl. 1/2(m)-3/4(f) SS	30432010
	Pivoting Wall bracket FZB	30373667
	Inlet kit for hose reel 1/2" with ball valve	30511550
	Inlet kit for hose reel 3/8" with ball valve 3/8", 3/8"-3/8" adapter and 1/4" - 3/8" adapter.	30511650
	Inlet kit for hose reel 1/2" with ball valve 1/2", 1/2" adapter, 1/2"-1/2" nipple and hose clamp	30511750

## Hose Reel 884

