

High vacuum filter used in application with a working vacuum of max. 40.000 Pa (5,80 psi)



The filters are made in galvanised steel sheet and is bolted together, which makes it a very competitive alternative to other high vacuum filters.

The FlexFilter 13 and 18 can be used in applications where there is a high content of dry dust particles.

The filter can be supplied with either cartridges (UniClean) or cassettes depending on the air flow, the dust type and the dust concentration. The MHFV filter can be delivered in two different heights – type 1300 and 1800.

The cartridges/cassettes are cleaned automatically by a highefficiency, low energy consuming compressed air system activated by an integral electronic controller.

Easy to maintain

Quick release waste bin

Inspection and change of the filter elements can take place within a few minutes

Front service of the cleaning valves, the controller, the compressed air tank and the filter elements

Available with cartridges or cassettes

品名	FlexFilter 13 and 18 cartridge dust collector
压缩空气需求	6 bar
安装	室内, 室外
材料	Housing in galvanised steel sheet (4 mm)
清灰方式	脉冲清灰
应用	粉尘, 颗粒物, 沙砾, 烟气
工作压力(干帕)	Max. 40.000 (5,80 psi)
灰斗容量	50 or 100, or whitout
工作温度	-20 to 75 Deg. C.









沙砾 烟气 夥




滤芯数量	产品编号
8	13-C-L
8	13-C-A
16	18-C-L
16	18-C-A
2	13-K-L-4
2	13-K-L-6
4	18-K-L-4
4	18-K-L-6




附件	产品编号
Discharge bin 50 I without wheels	5501273
Discharge bin 50 I with wheels	5501274
Discharge bin 100 I with wheels	5501275
Adaptor for bin with bag	5505033
Adaptor for 50 l bin with bag incl. fitting	5505034
Adaptor for 100 I bin with bag incl. Fitting	5505035
Hose set for bin balancing	5505041
Isolation box for FM pressure tank, 2 modules	5501317
Isolation box for FM pressure tank, 4 modules	5501318
Isolation box for FM pressure tank, 6 modules	5501319
Isolation box for FM pressure tank, 6 modules	5501320






FlexFilter 13 L/A with 50 I bin with wheel




FlexFilter 13 L/A from above.






FlexFilter 18 L/A with bin 50 I with wheel




FlexFilter 18 L/A from above





Outlet position for FlexFilter 13 L/A



Outlet position, FlexFilter 18 L/A