

## Fan N27, 3 phases

---





A centrifugal fan mainly designed for use with Nederman extraction products.

- Compact
- Easy to use

Product name	Fan N27, 3 phases
Installation	[Indoor], [Outdoor]
Material	Fan Casing: Galvanised steel. Impeller: Die cast aluminium.
Airflow (CFM)	300-1150
Ambient temperature range	-20 to +40 C (-4 F to 104 F)
Operating Temperature	Max 140 F (60 C)
Frequency (Hz)	60
No of phases	3
Weight (lbs)	37
Power (Hp)	2.0 (1.5 Kw)









## Fan N27, 3 phases

[image]	Power Voltage (V)	Amperage (A)	[model]
	330 / 575	3,9 / 2,2	14514222
	230/460	5,9/3,4	14514322


## Fan N27, 3 phases

	[accessory]	[partno]
	Adaptor Ø125/Ø100 mm	14341077
	Adaptor Ø125/Ø75 mm	14341080
	Adaptor Ø160/ext. Ø75 mm	14510426
	Adaptor Ø160/ext. Ø100 mm	14510526
	Adaptor Ø160 ext./Ø125 mm	14510626
	Adaptor Ø160/Ø150 mm	14511226
	Inlet adaptor for hose Ø160 mm	14510326
	Inlet and outlet adaptor for hose Ø160 mm	14322166
	Guard net (1 pcs)	14333181
	PVC hose, Ø100mm, l=5m	10500427
	PVC-hose, Ø125mm, l=5m.	10500527
	PVC-hose, Ø150mm, l=5m.	10500627
	PVC-hose Ø160mm, l=5m	10511026
	Coupling tube Ø75mm	14503626
	Coupling tube Ø100mm	14504626
	Coupling tube Ø125mm	14505626
	Coupling tube Ø150mm	14506626
	Coupling tube Ø160mm	14511326
	Nozzle with magnet, 250 x 30 mm. Aluminium. Hose connection Ø100 mm.	14500226
	Nozzle with magnet, 260 x 100 mm. Polycarbonate. Hose connection Ø100 mm.	14501226
	Silencer for when when mounted on Original or Telescopic extraction arm	14502126
	Silencer for fan	14502626

## Fan N27, 3 phases

	[accessory]	[partno]
	Silencer including quick release	14502226
	Wall bracket for silencer	14343089
	Split inlet Ø125 int. / 2xØ125 mm ext.	14500726
	Split inlet Ø160 int. / 2xØ100 mm ext.	14510726
	Split inlet Ø125 int. / 2xØ75 mm ext.	14500826
	Stand for fans N10, N16 and N24	14510126

## Fan N27, 3 phases



A: Total Pressure

B: Static Pressure

X-Axis: m³/h

Y-Axis: Pa

