

## Magna Track ST

Exhaust extraction system for emergency stations with fewer runs



MagnaTrack ST is designed for stations with fewer runs. The free-hanging exhaust hose is equipped with a swivel attached to a balancer, which moves on the guide track. A switch on the track separates the entire hose assembly from the vehicle in a one-step process, minimizing stress or strain from the vehicle to the exhaust hose or ceiling brackets. MagnaTrack ST is available in lengths from 6 to 12 m (20 to 40 ft) and it fits vehicles with low mounted exhaust pipes.

Capacity: 1 vehicle per system

Exhaust pipes: low level tail pipes

Normal exit speed up to 15 km/h - 10 mph

For reverse-in (or drive-through)

Optional automatic start/stop device that offers:

- Practical control of fan start/stop
- Safe control of air quality (source ventilation automatically starts when vehicle engine starts)
- Simple programming
- Approval for radio equipment acc. to EC directives, FCC (USA) and IC (Canada)

- Capacity: 1 vehicle per system
- Exhaust pipes: low level tail pipes
- Normal exit speed up to 15 km/h - 10 mph
- For reverse-in (or drive-through)
- Optional automatic start/stop device that offers:
  - Practical control of fan start/stop
  - Safe control of air quality (source ventilation automatically starts when vehicle engine starts)
  - Simple programming
  - Approval for radio equipment acc. to EC directives, FCC (USA) and IC (Canada)

<b>Product name</b>	Magna Track ST
<b>Further technical data</b>	Nozzle Ø: 160mm Nozzle hose length: 0,6m
<b>Diameter, hose (mm)</b>	125
<b>Note</b>	Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3), Sliding block (4), Balancer (5), Swivel (6), Hose connector, Exhaust hose (7), Low level nozzle (8), Electro-magnet assembly (9), Anchor plate (10), Disconnection switch (11), Transformer (12)












## Magna Track ST


Description	Hose length (m)	Model
Magna Track ST	5	20807264*
Magna Track ST	5	20807164*
Magna Track ST	9	20807364*
Magna Track ST	11,5	20807464*

*\*Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3), Sliding block (4), Balancer (5), Swivel (6), Hose connector, Exhaust hose (7), Low level nozzle (8), Electro-magnet assembly (9), Anchor plate (10), Disconnection switch (11), Transformer (12)*

## Magna Track ST

Accessory		Part No
	Anchor plate for magnatrack.	20372003
	Anchor plate shutter in two parts	20371853
	Anchor plate, shutter, in 3 parts	20371868
	Radio transmitter vehicle GHz	20376723
	Radio Receiver GHz	20376724
	Handheld radio transmitter GHz	20376725
	Program kit for radio system	20376726
	Hose protection ø130/160 (Pair)	20374428
	Twist support, HL nozzle (16)	20374364
	Lengthening shaft, HL nozzle (17)	20374359

## Magna Track ST



A: Pa, B: m<sup>3</sup>/h, C: CFM D: W.C

Pressure drop valid for 6 and 7 m track with 5 m hose, Ø 125 mm, and HB 600LL nozzle.

