


Magna Track HS

Uitlaatgasafzuiging voor hulpposten met hoge frequentie / hoge snelheid runs



De MagnaTrack HS is ontworpen om hulpposten te bedienen met een hoge frequentie van runs. Het baansysteem dient voor een voertuig tegelijk. De stabilisator heeft een constant hefvermogen. MagnaTrack HS is beschikbaar in lengten van 3,5 tot 18 m; (10 tot 60 ft) en past op voertuigen met laag en hoog gemonteerde uitlaatpijpen.

Capaciteit: 1 voertuig per systeem

Uitlaatpijpen: Hoge of lage uitlaatpijpen

Hoge uitgangssnelheid tot 25 km/h - 15 mph

Voor achterruit (of in beweging)

Optionele automatisch start/stop apparaat dat het volgende biedt:

- Praktische besturing van de ventilator start/stop
- Veilige besturing van luchtkwaliteit (bronventilatie start automatisch wanneer de motor van het voertuig start)
- Eenvoudige programmering
- Goedkeuring voor radio-apparatuur volgens EC-richtlijnen, FCC (VS) en IC (Canada)


- Capacity: 1 vehicle per system
- Exhaust pipes: High level or Low level tail pipes
- High exit speed: up to 25 km/h; 15 mp
- For reverse-in (or drive-through)
- Optional automatic start/stop device that offers:
 - Practical control of fan start/stop
 - Safe control of air quality (source ventilation automatically starts when vehicle engine starts)
 - Simple programming
 - Approval for radio equipment acc. to EC directives, FCC (USA) and IC (Canada)

Product naam	Magna Track HS
--------------	----------------




Magna Track HS

Magna Track HS


[accessory]		[partno]
	Scoop Nozzle HB 600 Low Level 5"	20814263
	Program kit for radio system	20376726

Magna Track HS




y1: Pa, x1: m³/h, x2: CFM y2: W.C

Magna Track HS





* NB. Consider compressible hose 1:5



Length of rail, m	No. of brackets
3.5	2
5.9	3
7	4
9.5	4
11.8	5
15.3	7
17.7	9

N.B. The nozzle for high level (HL) exhaust pipes must be installed at a higher level than the exhaust pipe. The nozzle must be pulled downwards at connection, which will activate the balancer.

Magna Track HS



Length of rail, m / ft	No. of brackets
5.9 / 19.4	3
7 / 22.9	4
9.5 / 31.2	4
11.8 / 38.7	5