

Powerful dust collector with pre separator



An extremely powerful vacuum unit for the collection of blasting grit and other granulated material. The combination of high vacuum and high airflow make material transport over long distance possible. Compact design, built on a frame with the possibility of transportation by forklift. Equipped with grit and dust separator. The clean grit is collected in a silo and can be re-used. The dust is trapped in a high efficient NCF filter and discharged into a dustbin or bag.

- High vacuum and airflow
- Dust separation from grit and granulates
- Efficient self-cleaning NCF filter

Product name	Industrial vacuum cleaner 722A		
Installation	Outdoor, Indoor		
Filter cleaning method	Reverse air pulse		
Application	Granulate, Grit, Swarf		
Dustbin volume (I)	67+220		
Filter Area (m²)	5,25		
Filter type	Candle filter		
Number of filter elements	70		
Filter material	Vyon 5,25		
Type of hose	PU12		
Compressed air requirement	8,6 Nm3/min		
Max airflow (m³/h)	660		
Noise level (dB(A))	78.0		
Max vaccum (kPa)	-68		
Weight (kg)	300		
Hose length (m)	10		
Hose diameter (mm)	76		
Note	With gulper head		









Granulate



Image	Description	Model
	722A - NE96, S200 with manual discharge valve	42172200*


^{*}With gulper head

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PU12	Sturdy hose. Suitable for abrasive material Transparent polyurethane (t=1,2 mm) Reinforced with inbedded steel helix	- 40 deg. C+ 90 Deg. C.				



	Accessory	Part No
00	Control S for NE 22-76	43220001
	Control S for NE 22-76	43220026
	Control S for NE86-96	43222008





Air Powered ejectors

All performance data are based on 7 bar supply pressure