

## Nederman vloeistof managementsysteem (veilige reputatie)

Bewakingssysteem voor vloeistof en olie voor een betere winst en service voor reparatiebedrijven van voertuigen.









Het NMS smering-bewakingssysteem voor volledige vloeistofcontrole bewaakt nauwkeurig en levert de juiste hoeveelheid olie en vloeistoffen voor elk voertuig zonder handmatige handelingen of aftappen. Het informeert ook leveranciers wanneer het tijd is om de tanks bij te vullen. Dit is het einde van morsen, verlies en onnodige stilstand.

- Tot 250 leveringspunten
- Complete vloeistofcontrole







Product naam	Nederman vloeistof managementsysteem (veilige reputatie)
--------------	--



## Nederman vloeistof managementsysteem (veilige reputatie)

Afbeelding	Naam voor Datasheet	Model
		30514050
	ST4-0 Fieldbus Converter K-32 + power supply EU + SafeRecord + oper.manuals	30512750
	ST4 Operator Terminal + 7 I/O ch.	30512850
	ST4 Operator Terminal	30512950
	ST4, 7 I/O channels	30513050
	Needed product to be able to set NMS in manual mode and open all outlets. Activated by included key.	30513450
	Saferecord pump control software	30510250
	Saferecord software GDS communication (activation with license key)	30510350
	Saferecord software Kobra communication (activation with license key)	30510550
	Saferecord software Automaster communication (activation with license key)	30510650
	Software upgrade upgrade which allows SafeRecord to be run on computers using 64-bit OS.	30513750

# Nederman vloeistof managementsysteem (veilige reputatie)

Toebehoren		Artikelnummer
	Valve unit 24V AC	30509650
	Valve unit for wind screen fluid	30509750
	Bar code reader	30509150
	Pressure transmitter 0-5m 4-20mA	30511451
	Transformer 96VA 24VAC	30513250
	Transformer 220VA 24V AC/DC	30513350
	Transmitter unit R02 1-2 tanks	30511450
	Upgrade Nederman Monitoring system	30513850