
















QF Pressed bends

QF pressed bends with radius 1,5 x diameter to centerline


















Nom du produit	QF Pressed bends
Connection	QF
Thickness (mm)	0,9





QF Pressed bends

[image]	Nom de la fiche technique	Diamètre (mm)	Poids (kg)	Radius	[model]
	Pressed Bend 90°	80	0,4	120	8210000178
	Pressed Bend 90°	100	0,5	150	8210000183
	Pressed Bend 90°	125	0,8	190	8210000188
	Pressed Bend 90°	140	0,9	210	8210000193
	Pressed Bend 90°	150	1,1	225	8210000198
	Pressed Bend 90°	160	1,2	240	8210000203
	Pressed Bend 90°	180	1,6	270	8210000208
	Pressed Bend 90°	200	1,9	300	8210000213
	Pressed Bend 90°	224	2,4	337	8210000218
	Pressed Bend 90°	250	3	375	8210000223
	Pressed Bend 90°	300	3,2	450	8210000228
	Pressed Bend 90°	315	5	472	8210000233
	Pressed Bend 60°	100	0,4	150	8210000182
	Pressed Bend 60°	125	0,6	190	8210000187
	Pressed Bend 60°	140	0,6	210	8210000192











QF Pressed bends

[image]	Nom de la fiche technique	Diamètre (mm)	Poids (kg)	Radius	[model]
	Pressed Bend 60°	150	0,7	225	8210000197
	Pressed Bend 60°	160	0,8	240	8210000202
	Pressed Bend 60°	180	1,2	270	8210000207
	Pressed Bend 60°	200	1,3	300	8210000212
	Pressed Bend 60°	224	1,7	337	8210000217
	Pressed Bend 60°	250	1,9	375	8210000222
	Pressed Bend 60°	300	2,4	450	8210000227
	Pressed Bend 60°	315	2,5	472	8210000232
	Pressed Bend 45°	100	0,3	150	8210000181
	Pressed Bend 45°	125	0,4	190	8210000186
	Pressed Bend 45°	140	0,4	210	8210000191
	Pressed Bend 45°	150	0,5	225	8210000196
	Pressed Bend 45°	160	0,6	240	8210000201
	Pressed Bend 45°	180	0,9	270	8210000206
	Pressed Bend 45°	200	1	300	8210000211

QF Pressed bends

[image]	Nom de la fiche technique	Diamètre (mm)	Poids (kg)	Radius	[model]
	Pressed Bend 45°	224	1,6	337	8210000216
	Pressed Bend 45°	250	1,6	375	8210000221
	Pressed Bend 45°	300	2,3	450	8210000226
	Pressed Bend 45°	315	2,4	472	8210000231
	Pressed Bend 30°	100	0,3	150	8210000180
	Pressed Bend 30°	125	0,3	190	8210000185
	Pressed Bend 30°	140	0,4	210	8210000190
	Pressed Bend 30°	150	0,5	225	8210000195
	Pressed Bend 30°	160	0,5	240	8210000200
	Pressed Bend 30°	180	0,7	270	8210000205
	Pressed Bend 30°	200	0,9	300	8210000210
	Pressed Bend 30°	224	1,3	337	8210000215
	Pressed Bend 30°	250	1,5	375	8210000220
	Pressed Bend 30°	300	2,2	450	8210000225
	Pressed Bend 30°	315	2,2	472	8210000230

QF Pressed bends

[image]	Nom de la fiche technique	Diamètre (mm)	Poids (kg)	Radius	[model]
	Pressed Bend 15°	80	0,1	120	8210000174
	Pressed Bend 15°	100	0,2	150	8210000179
	Pressed Bend 15°	125	0,4	190	8210000184
	Pressed Bend 15°	140	0,4	210	8210000189
	Pressed Bend 15°	150	0,4	225	8210000194
	Pressed Bend 15°	160	0,4	240	8210000199
	Pressed Bend 15°	180	0,5	270	8210000204
	Pressed Bend 15°	200	0,7	300	8210000209
	Pressed Bend 15°	224	0,9	337	8210000214
	Pressed Bend 15°	250	0,9	375	8210000219
	Pressed Bend 15°	300	1,3	450	8210000224
	Pressed Bend 15°	315	1,3	472	8210000229