

BSAD Mild Steel Bend (T = 2 mm)

Bend in Mild Steel



2 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.

For assembly use FSFE or FSDB clips.

Nombre de producto	BSAD Mild Steel Bend (T = 2 mm)
Mercados indicados	Europe (non UK), UK, Thailand (Asia)
Material	MS
Material Thickness	2mm
Tipo final A	FB
Radio de línea central (CLR)	1,5
Pintado	RAL 7032

BSAD Mild Steel Bend (T = 2 mm)

Descripción breve	Legacy Item No.	Diámetro A	Grado de ángulo	Peso	Modelo
Bend Pressed MS 2mm 100FB 15Deg R=1,5 RAL 7032	BSAD-100-15	100	15	0,20	8210002247
Bend Pressed MS 2mm 100FB 30Deg R=1,5 RAL 7032	BSAD-100-30	100	30	0,40	8210002248
Bend Pressed MS 2mm 100FB 45Deg R=1,5 RAL 7032	BSAD-100-45	100	45	0,60	8210002249
Bend Pressed MS 2mm 100FB 60Deg R=1,5 RAL 7032	BSAD-100-60	100	60	0,90	8210002250
Bend Pressed MS 2mm 100FB 90Deg R=1,5 RAL 7032	BSAD-100-90	100	90	1,20	8210002251
Bend Pressed MS 2mm 120FB 15Deg R=1,5 RAL 7032	BSAD-120-15	120	15	0,30	8210002252
Bend Pressed MS 2mm 120FB 30Deg R=1,5 RAL 7032	BSAD-120-30	120	30	0,60	8210002253
Bend Pressed MS 2mm 120FB 45Deg R=1,5 RAL 7032	BSAD-120-45	120	45	0,90	8210002254
Bend Pressed MS 2mm 120FB 60Deg R=1,5 RAL 7032	BSAD-120-60	120	60	1,20	8210002255
Bend Pressed MS 2mm 120FB 90Deg R=1,5 RAL 7032	BSAD-120-90	120	90	1,80	8210002256
Bend Pressed MS 2mm 125FB 15Deg R=1,5 RAL 7032	BSAD-125-15	125	15	0,40	8210002257
Bend Pressed MS 2mm 125FB 30Deg R=1,5 RAL 7032	BSAD-125-30	125	30	0,70	8210002258
Bend Pressed MS 2mm 125FB 45Deg R=1,5 RAL 7032	BSAD-125-45	125	45	1,00	8210002259
Bend Pressed MS 2mm 125FB 60Deg R=1,5 RAL 7032	BSAD-125-60	125	60	1,30	8210002260
Bend Pressed MS 2mm 125FB 90Deg R=1,5 RAL 7032	BSAD-125-90	125	90	2,00	8210002261
Bend Pressed MS 2mm 140FB 15Deg R=1,5 RAL 7032	BSAD-140-15	140	15	0,50	8210002262
Bend Pressed MS 2mm 140FB 30Deg R=1,5 RAL 7032	BSAD-140-30	140	30	1,00	8210002263
Bend Pressed MS 2mm 140FB 45Deg R=1,5 RAL 7032	BSAD-140-45	140	45	1,40	8210002264
Bend Pressed MS 2mm 140FB 60Deg R=1,5 RAL 7032	BSAD-140-60	140	60	2,00	8210002265
Bend Pressed MS 2mm 140FB 90Deg R=1,5 RAL 7032	BSAD-140-90	140	90	2,90	8210002266
Bend Pressed MS 2mm 150FB 15Deg R=1,5 RAL 7032	BSAD-150-15	150	15	0,70	8210002267
Bend Pressed MS 2mm 150FB 30Deg R=1,5 RAL 7032	BSAD-150-30	150	30	1,10	8210002268
Bend Pressed MS 2mm 150FB 45Deg R=1,5 RAL 7032	BSAD-150-45	150	45	1,60	8210002269
Bend Pressed MS 2mm 150FB 60Deg R=1,5 RAL 7032	BSAD-150-60	150	60	2,20	8210002270
Bend Pressed MS 2mm 150FB 90Deg R=1,5 RAL 7032	BSAD-150-90	150	90	3,20	8210002271
Bend Pressed MS 2mm 160FB 15Deg R=1,5 RAL 7032	BSAD-160-15	160	15	0,70	8210002272
Bend Pressed MS 2mm 160FB 30Deg R=1,5 RAL 7032	BSAD-160-30	160	30	1,10	8210002273
Bend Pressed MS 2mm 160FB 45Deg R=1,5 RAL 7032	BSAD-160-45	160	45	1,60	8210002274

BSAD Mild Steel Bend (T = 2 mm)

Descripción breve	Legacy Item No.	Diámetro A	Grado de ángulo	Peso	Modelo
Bend Pressed MS 2mm 160FB 60Deg R=1,5 RAL 7032	BSAD-160-60	160	60	2,20	8210002275
Bend Pressed MS 2mm 160FB 90Deg R=1,5 RAL 7032	BSAD-160-90	160	90	3,20	8210002276
Bend Pressed MS 2mm 180FB 15Deg R=1,5 RAL 7032	BSAD-180-15	180	15	0,80	8210002277
Bend Pressed MS 2mm 180FB 30Deg R=1,5 RAL 7032	BSAD-180-30	180	30	1,40	8210002278
Bend Pressed MS 2mm 180FB 45Deg R=1,5 RAL 7032	BSAD-180-45	180	45	2,10	8210002279
Bend Pressed MS 2mm 180FB 60Deg R=1,5 RAL 7032	BSAD-180-60	180	60	2,70	8210002280
Bend Pressed MS 2mm 180FB 90Deg R=1,5 RAL 7032	BSAD-180-90	180	90	4,10	8210002281
Bend Pressed MS 2mm 200FB 15Deg R=1,5 RAL 7032	BSAD-200-15	200	15	0,90	8210002282
Bend Pressed MS 2mm 200FB 30Deg R=1,5 RAL 7032	BSAD-200-30	200	30	1,70	8210002283
Bend Pressed MS 2mm 200FB 45Deg R=1,5 RAL 7032	BSAD-200-45	200	45	2,50	8210002284
Bend Pressed MS 2mm 200FB 60Deg R=1,5 RAL 7032	BSAD-200-60	200	60	3,40	8210002285
Bend Pressed MS 2mm 200FB 90Deg R=1,5 RAL 7032	BSAD-200-90	200	90	5,00	8210002286
Bend Pressed MS 2mm 225FB 15Deg R=1,5 RAL 7032	BSAD-225-15	225	15	1,12	8210002287
Bend Pressed MS 2mm 225FB 30Deg R=1,5 RAL 7032	BSAD-225-30	225	30	2,15	8210002288
Bend Pressed MS 2mm 225FB 45Deg R=1,5 RAL 7032	BSAD-225-45	225	45	3,15	8210002289
Bend Pressed MS 2mm 225FB 60Deg R=1,5 RAL 7032	BSAD-225-60	225	60	4,30	8210002290
Bend Pressed MS 2mm 225FB 90Deg R=1,5 RAL 7032	BSAD-225-90	225	90	6,30	8210002291
Bend Pressed MS 2mm 250FB 15Deg R=1,5 RAL 7032	BSAD-250-15	250	15	1,40	8210002292
Bend Pressed MS 2mm 250FB 30Deg R=1,5 RAL 7032	BSAD-250-30	250	30	2,60	8210002293
Bend Pressed MS 2mm 250FB 45Deg R=1,5 RAL 7032	BSAD-250-45	250	45	3,80	8210002294
Bend Pressed MS 2mm 250FB 60Deg R=1,5 RAL 7032	BSAD-250-60	250	60	5,20	8210002295
Bend Pressed MS 2mm 250FB 90Deg R=1,5 RAL 7032	BSAD-250-90	250	90	7,60	8210002296
Bend Pressed MS 2mm 300FB 15Deg R=1,5 RAL 7032	BSAD-300-15	300	15	1,90	8210002297
Bend Pressed MS 2mm 300FB 30Deg R=1,5 RAL 7032	BSAD-300-30	300	30	3,80	8210002298
Bend Pressed MS 2mm 300FB 45Deg R=1,5 RAL 7032	BSAD-300-45	300	45	5,60	8210002299
Bend Pressed MS 2mm 300FB 60Deg R=1,5 RAL 7032	BSAD-300-60	300	60	7,50	8210002300
Bend Pressed MS 2mm 300FB 90Deg R=1,5 RAL 7032	BSAD-300-90	300	90	11,20	8210002301
Bend Seg MS 2mm 315FB 15Deg R=1,5 RAL 7032	BSAD-315-15	315	15	2,20	8210002302
Bend Seg MS 2mm 315FB 30Deg R=1,5 RAL 7032	BSAD-315-30	315	30	4,40	8210002303

BSAD Mild Steel Bend (T = 2 mm)

Descripción breve	Legacy Item No.	Diámetro A	Grado de ángulo	Peso	Modelo
Bend Seg MS 2mm 315FB 45Deg R=1,5 RAL 7032	BSAD-315-45	315	45	6,50	8210002304
Bend Seg MS 2mm 315FB 60Deg R=1,5 RAL 7032	BSAD-315-60	315	60	8,60	8210002305
Bend Seg MS 2mm 315FB 90Deg R=1,5 RAL 7032	BSAD-315-90	315	90	13,10	8210002306
Bend Seg MS 2mm 350FB 15Deg R=1,5 RAL 7032	BSAD-350-15	350	15	2,60	8210002307
Bend Seg MS 2mm 350FB 30Deg R=1,5 RAL 7032	BSAD-350-30	350	30	5,20	8210002308
Bend Seg MS 2mm 350FB 45Deg R=1,5 RAL 7032	BSAD-350-45	350	45	7,80	8210002309
Bend Seg MS 2mm 350FB 60Deg R=1,5 RAL 7032	BSAD-350-60	350	60	10,40	8210002310
Bend Seg MS 2mm 350FB 90Deg R=1,5 RAL 7032	BSAD-350-90	350	90	15,70	8210002311
Bend Seg MS 2mm 400FB 15Deg R=1,5 RAL 7032	BSAD-400-15	400	15	3,30	8210002312
Bend Seg MS 2mm 400FB 30Deg R=1,5 RAL 7032	BSAD-400-30	400	30	6,50	8210002313
Bend Seg MS 2mm 400FB 45Deg R=1,5 RAL 7032	BSAD-400-45	400	45	9,80	8210002314
Bend Seg MS 2mm 400FB 60Deg R=1,5 RAL 7032	BSAD-400-60	400	60	13,10	8210002315
Bend Seg MS 2mm 400FB 90Deg R=1,5 RAL 7032	BSAD-400-90	400	90	19,60	8210002316
Bend Seg MS 2mm 450FB 15Deg R=1,5 RAL 7032	BSAD-450-15	450	15	4,00	8210002317
Bend Seg MS 2mm 450FB 30Deg R=1,5 RAL 7032	BSAD-450-30	450	30	8,10	8210002318
Bend Seg MS 2mm 450FB 45Deg R=1,5 RAL 7032	BSAD-450-45	450	45	12,10	8210002319
Bend Seg MS 2mm 450FB 60Deg R=1,5 RAL 7032	BSAD-450-60	450	60	16,20	8210002320
Bend Seg MS 2mm 450FB 90Deg R=1,5 RAL 7032	BSAD-450-90	450	90	24,20	8210002321
Bend Seg MS 2mm 500FB 15Deg R=1,5 RAL 7032	BSAD-500-15	500	15	5,00	8210002322
Bend Seg MS 2mm 500FB 30Deg R=1,5 RAL 7032	BSAD-500-30	500	30	10,00	8210002323
Bend Seg MS 2mm 500FB 45Deg R=1,5 RAL 7032	BSAD-500-45	500	45	15,00	8210002324
Bend Seg MS 2mm 500FB 60Deg R=1,5 RAL 7032	BSAD-500-60	500	60	20,00	8210002325
Bend Seg MS 2mm 500FB 90Deg R=1,5 RAL 7032	BSAD-500-90	500	90	29,90	8210002326
Bend Seg MS 2mm 550FB 15Deg R=1,5 RAL 7032	BSAD-550-15	550	15	6,00	8210002327
Bend Seg MS 2mm 550FB 30Deg R=1,5 RAL 7032	BSAD-550-30	550	30	15,10	8210002328
Bend Seg MS 2mm 550FB 45Deg R=1,5 RAL 7032	BSAD-550-45	550	45	18,10	8210002329
Bend Seg MS 2mm 550FB 60Deg R=1,5 RAL 7032	BSAD-550-60	550	60	24,20	8210002330
Bend Seg MS 2mm 550FB 90Deg R=1,5 RAL 7032	BSAD-550-90	550	90	36,20	8210002331
Bend Seg MS 2mm 600FB 15Deg R=1,5 RAL 7032	BSAD-600-15	600	15	7,20	8210002332
Bend Seg MS 2mm 600FB 30Deg R=1,5 RAL 7032	BSAD-600-30	600	30	14,40	8210002333
Bend Seg MS 2mm 600FB 45Deg R=1,5 RAL 7032	BSAD-600-45	600	45	21,60	8210002334
Bend Seg MS 2mm 600FB 60Deg R=1,5 RAL 7032	BSAD-600-60	600	60	28,80	8210002335
Bend Seg MS 2mm 600FB 90Deg R=1,5 RAL 7032	BSAD-600-90	600	90	43,10	8210002336
Bend Seg MS 2mm 630FB 15Deg R=1,5 RAL 7032	BSAD-630-15	630	15	6,92	8210002337
Bend Seg MS 2mm 630FB 30Deg R=1,5 RAL 7032	BSAD-630-30	630	30	14,12	8210002338
Bend Seg MS 2mm 630FB 45Deg R=1,5 RAL 7032	BSAD-630-45	630	45	20,32	8210002339
Bend Seg MS 2mm 630FB 60Deg R=1,5 RAL 7032	BSAD-630-60	630	60	34,26	8210002340
Bend Seg MS 2mm 630FB 90Deg R=1,5 RAL 7032	BSAD-630-90	630	90	43,02	8210002341
Bend Seg MS 2mm 650FB 15Deg R=1,5 RAL 7032	BSAD-650-15	650	15	8,44	8210002342

BSAD Mild Steel Bend (T = 2 mm)

Descripción breve	Legacy Item No.	Diámetro A	Grado de ángulo	Peso	Modelo
Bend Seg MS 2mm 650FB 30Deg R=1,5 RAL 7032	BSAD-650-30	650	30	16,94	8210002343
Bend Seg MS 2mm 650FB 45Deg R=1,5 RAL 7032	BSAD-650-45	650	45	29,44	8210002344
Bend Seg MS 2mm 650FB 60Deg R=1,5 RAL 7032	BSAD-650-60	650	60	38,04	8210002345
Bend Seg MS 2mm 650FB 90Deg R=1,5 RAL 7032	BSAD-650-90	650	90	54,74	8210002346
Bend Seg MS 2mm 700FB 15Deg R=1,5 RAL 7032	BSAD-700-15	700	15	9,90	8210002347
Bend Seg MS 2mm 700FB 30Deg R=1,5 RAL 7032	BSAD-700-30	700	30	19,70	8210002348
Bend Seg MS 2mm 700FB 45Deg R=1,5 RAL 7032	BSAD-700-45	700	45	29,50	8210002349
Bend Seg MS 2mm 700FB 60Deg R=1,5 RAL 7032	BSAD-700-60	700	60	39,30	8210002350
Bend Seg MS 2mm 700FB 90Deg R=1,5 RAL 7032	BSAD-700-90	700	90	58,90	8210002351
Bend Seg MS 2mm 750FB 15Deg R=1,5 RAL 7032	BSAD-750-15	750	15	11,50	8210002352
Bend Seg MS 2mm 750FB 30Deg R=1,5 RAL 7032	BSAD-750-30	750	30	22,70	8210002353
Bend Seg MS 2mm 750FB 45Deg R=1,5 RAL 7032	BSAD-750-45	750	45	34,00	8210002354
Bend Seg MS 2mm 750FB 60Deg R=1,5 RAL 7032	BSAD-750-60	750	60	45,20	8210002355
Bend Seg MS 2mm 750FB 90Deg R=1,5 RAL 7032	BSAD-750-90	750	90	67,70	8210002356
Bend Seg MS 2mm 800FB 15Deg R=1,5 RAL 7032	BSAD-800-15	800	15	12,80	8210002357
Bend Seg MS 2mm 800FB 30Deg R=1,5 RAL 7032	BSAD-800-30	800	30	25,60	8210002358
Bend Seg MS 2mm 800FB 45Deg R=1,5 RAL 7032	BSAD-800-45	800	45	38,40	8210002359
Bend Seg MS 2mm 800FB 60Deg R=1,5 RAL 7032	BSAD-800-60	800	60	51,20	8210002360
Bend Seg MS 2mm 800FB 90Deg R=1,5 RAL 7032	BSAD-800-90	800	90	76,80	8210002361
Bend Seg MS 2mm 850FB 15Deg R=1,5 RAL 7032	BSAD-850-15	850	15	14,50	8210002362
Bend Seg MS 2mm 850FB 30Deg R=1,5 RAL 7032	BSAD-850-30	850	30	28,90	8210002363
Bend Seg MS 2mm 850FB 45Deg R=1,5 RAL 7032	BSAD-850-45	850	45	43,40	8210002364
Bend Seg MS 2mm 850FB 60Deg R=1,5 RAL 7032	BSAD-850-60	850	60	57,80	8210002365
Bend Seg MS 2mm 850FB 90Deg R=1,5 RAL 7032	BSAD-850-90	850	90	86,80	8210002366
Bend Seg MS 2mm 900FB 15Deg R=1,5 RAL 7032	BSAD-900-15	900	15	16,30	8210002367
Bend Seg MS 2mm 900FB 30Deg R=1,5 RAL 7032	BSAD-900-30	900	30	32,50	8210002368
Bend Seg MS 2mm 900FB 45Deg R=1,5 RAL 7032	BSAD-900-45	900	45	48,80	8210002369
Bend Seg MS 2mm 900FB 60Deg R=1,5 RAL 7032	BSAD-900-60	900	60	65,00	8210002370
Bend Seg MS 2mm 900FB 90Deg R=1,5 RAL 7032	BSAD-900-90	900	90	97,40	8210002371
Bend Seg MS 2mm 950FB 15Deg R=1,5 RAL 7032	BSAD-950-15	950	15	17,40	8210002372
Bend Seg MS 2mm 950FB 30Deg R=1,5 RAL 7032	BSAD-950-30	950	30	35,40	8210002373
Bend Seg MS 2mm 950FB 45Deg R=1,5 RAL 7032	BSAD-950-45	950	45	53,50	8210002374
Bend Seg MS 2mm 950FB 60Deg R=1,5 RAL 7032	BSAD-950-60	950	60	71,60	8210002375
Bend Seg MS 2mm 950FB 90Deg R=1,5 RAL 7032	BSAD-950-90	950	90	107,70	8210002376
Bend Seg MS 2mm 1000FB 15Deg R=1,5 RAL 7032	BSAD-1000-15	1000	15	20,02	8210002377
Bend Seg MS 2mm 1000FB 30Deg R=1,5 RAL 7032	BSAD-1000-30	1000	30	40,10	8210002378
Bend Seg MS 2mm 1000FB 45Deg R=1,5 RAL 7032	BSAD-1000-45	1000	45	60,10	8210002379
Bend Seg MS 2mm 1000FB 60Deg R=1,5 RAL 7032	BSAD-1000-60	1000	60	80,10	8210002380
Bend Seg MS 2mm 1000FB 90Deg R=1,5 RAL 7032	BSAD-1000-90	1000	90	120,20	8210002381

BSAD Mild Steel Bend (T = 2 mm)