

FB Branch

Branches (30 degrees) for FB ducting



Nom du produit	FB Branch
Marchés	Europe (non UK), UK
Material	Galv
Fin Type A	FB
Fin Type B	FB
Fin Type C	FB
Degré d'angle	30

FB Branch

Désignation Article	Legacy Item No.	Material Thickness	Diamètre A	Diamètre B	Diamètre C	Poids	[model]
Branch Std Galv 0,9mm 450FB 160FB 400FB 30deg	GSAA-451640	0,9mm	450	160	400	11,60	8240006420
Branch Std Galv 0,7mm 80FB 80FB 80FB 30deg	GSAA-080808	0,7mm	80	80	80	0,80	8240005669
Branch Std Galv 0,7mm 100FB 80FB 80FB 30deg	GSAA-100808	0,7mm	100	80	80	1,15	8240005670
Branch Std Galv 0,7mm 100FB 80FB 100FB 30deg	GSAA-100810	0,7mm	100	80	100	1,15	8240005671
Branch Std Galv 0,7mm 100FB 100FB 100FB 30deg	GSAA-101010	0,7mm	100	100	100	1,15	8240005672
Branch Std Galv 0,7mm 120FB 80FB 120FB 30deg	GSAA-120812	0,7mm	120	80	120	1,25	8240005675
Branch Std Galv 0,7mm 120FB 100FB 100FB 30deg	GSAA-121010	0,7mm	120	100	100	1,25	8240005676
Branch Std Galv 0,7mm 120FB 100FB 120FB 30deg	GSAA-121012	0,7mm	120	100	120	1,25	8240005677
Branch Std Galv 0,7mm 120FB 120FB 120FB 30deg	GSAA-121212	0,7mm	120	120	120	1,25	8240005678
Branch Std Galv 0,7mm 125FB 80FB 125FB 30deg	GSAA-130813	0,7mm	125	80	125	1,40	8240005682
Branch Std Galv 0,7mm 125FB 100FB 100FB 30deg	GSAA-131010	0,7mm	125	100	100	1,40	8240005683
Branch Std Galv 0,7mm 125FB 100FB 125FB 30deg	GSAA-131013	0,7mm	125	100	125	1,40	8240005685
Branch Std Galv 0,7mm 125FB 125FB 125FB 30deg	GSAA-131313	0,7mm	125	125	125	1,40	8240005688
Branch Std Galv 0,7mm 140FB 80FB 140FB 30deg	GSAA-140814	0,7mm	140	80	140	1,80	8240005693
Branch Std Galv 0,7mm 140FB 100FB 100FB 30deg	GSAA-141010	0,7mm	140	100	100	1,80	8240005694
Branch Std Galv 0,7mm 140FB 120FB 140FB 30deg	GSAA-141214	0,7mm	140	120	140	1,80	8240005700
Branch Std Galv 0,7mm 140FB 125FB 140FB 30deg	GSAA-141314	0,7mm	140	125	140	1,80	8240005702
Branch Std Galv 0,7mm 140FB 140FB 140FB 30deg	GSAA-141414	0,7mm	140	140	140	1,80	8240005703
Branch Std Galv 0,7mm 150FB 80FB 150FB 30deg	GSAA-150815	0,7mm	150	80	150	1,80	8240005709
Branch Std Galv 0,7mm 150FB 100FB 150FB 30deg	GSAA-151015	0,7mm	150	100	150	1,80	8240005714
Branch Std Galv 0,7mm 150FB 120FB 120FB 30deg	GSAA-151212	0,7mm	150	120	120	1,80	8240005715
Branch Std Galv 0,7mm 150FB 120FB 150FB 30deg	GSAA-151215	0,7mm	150	120	150	1,80	8240005718
Branch Std Galv 0,7mm 150FB 125FB 150FB 30deg	GSAA-151315	0,7mm	150	125	150	1,80	8240005721
Branch Std Galv 0,7mm 150FB 150FB 150FB 30deg	GSAA-151515	0,7mm	150	150	150	1,80	8240005724
Branch Std Galv 0,7mm 160FB 80FB 160FB 30deg	GSAA-160816	0,7mm	160	80	160	1,90	8240005731
Branch Std Galv 0,7mm 160FB 100FB 100FB 30deg	GSAA-161010	0,7mm	160	100	100	1,90	8240005732
Branch Std Galv 0,7mm 160FB 100FB 160FB 30deg	GSAA-161016	0,7mm	160	100	160	1,90	8240005737
Branch Std Galv 0,7mm 160FB 120FB 160FB 30deg	GSAA-161216	0,7mm	160	120	160	1,90	8240005742

FB Branch

Désignation Article	Legacy Item No.	Material Thickness	Diamètre A	Diamètre B	Diamètre C	Poids	[model]
Branch Std Galv 0,7mm 160FB 125FB 125FB 30deg	GSAA-161313	0,7mm	160	125	125	1,90	8240005743
Branch Std Galv 0,7mm 160FB 125FB 160FB 30deg	GSAA-161316	0,7mm	160	125	160	1,90	8240005746
Branch Std Galv 0,7mm 160FB 160FB 160FB 30deg	GSAA-161616	0,7mm	160	160	160	1,90	8240005752
Branch Std Galv 0,7mm 180FB 80FB 180FB 30deg	GSAA-180818	0,7mm	180	80	180	2,20	8240005760
Branch Std Galv 0,7mm 180FB 100FB 180FB 30deg	GSAA-181018	0,7mm	180	100	180	2,20	8240005767
Branch Std Galv 0,7mm 180FB 120FB 180FB 30deg	GSAA-181218	0,7mm	180	120	180	2,20	8240005773
Branch Std Galv 0,7mm 180FB 125FB 180FB 30deg	GSAA-181318	0,7mm	180	125	180	2,20	8240005778
Branch Std Galv 0,7mm 180FB 150FB 180FB 30deg	GSAA-181518	0,7mm	180	150	180	2,20	8240005785
Branch Std Galv 0,7mm 180FB 180FB 180FB 30deg	GSAA-181818	0,7mm	180	180	180	2,20	8240005788
Branch Std Galv 0,7mm 200FB 80FB 200FB 30deg	GSAA-200820	0,7mm	200	80	200	2,90	8240005797
Branch Std Galv 0,7mm 200FB 100FB 200FB 30deg	GSAA-201020	0,7mm	200	100	200	2,90	8240005805
Branch Std Galv 0,7mm 200FB 120FB 200FB 30deg	GSAA-201220	0,7mm	200	120	200	2,90	8240005812
Branch Std Galv 0,7mm 200FB 125FB 125FB 30deg	GSAA-201313	0,7mm	200	125	125	2,90	8240005813
Branch Std Galv 0,7mm 200FB 125FB 200FB 30deg	GSAA-201320	0,7mm	200	125	200	2,90	8240005818
Branch Std Galv 0,7mm 200FB 150FB 200FB 30deg	GSAA-201520	0,7mm	200	150	200	2,90	8240005827
Branch Std Galv 0,7mm 200FB 160FB 160FB 30deg	GSAA-201616	0,7mm	200	160	160	2,90	8240005828
Branch Std Galv 0,7mm 200FB 160FB 200FB 30deg	GSAA-201620	0,7mm	200	160	200	2,90	8240005830
Branch Std Galv 0,7mm 200FB 200FB 200FB 30deg	GSAA-202020	0,7mm	200	200	200	2,90	8240005833
Branch Std Galv 0,7mm 225FB 100FB 100FB 30deg	GSAA-231010	0,7mm	225	100	100	3,50	8240005844
Branch Std Galv 0,7mm 225FB 100FB 225FB 30deg	GSAA-231023	0,7mm	225	100	225	3,50	8240005852
Branch Std Galv 0,7mm 225FB 120FB 225FB 30deg	GSAA-231223	0,7mm	225	120	225	3,50	8240005860
Branch Std Galv 0,7mm 225FB 125FB 225FB 30deg	GSAA-231323	0,7mm	225	125	225	3,50	8240005867
Branch Std Galv 0,7mm 225FB 150FB 225FB 30deg	GSAA-231523	0,7mm	225	150	225	3,50	8240005878
Branch Std Galv 0,7mm 225FB 160FB 225FB 30deg	GSAA-231623	0,7mm	225	160	225	3,50	8240005882
Branch Std Galv 0,7mm 225FB 225FB 225FB 30deg	GSAA-232323	0,7mm	225	225	225	3,50	8240005888
Branch Std Galv 0,7mm 250FB 80FB 200FB 30deg	GSAA-250820	0,7mm	250	80	200	3,50	8240005897
Branch Std Galv 0,7mm 250FB 80FB 250FB 30deg	GSAA-250825	0,7mm	250	80	250	3,50	8240005899
Branch Std Galv 0,7mm 250FB 100FB 100FB 30deg	GSAA-251010	0,7mm	250	100	100	3,50	8240005900

FB Branch

Désignation Article	Legacy Item No.	Material Thickness	Diamètre A	Diamètre B	Diamètre C	Poids	[model]
Branch Std Galv 0,7mm 250FB 100FB 250FB 30deg	GSAA-251025	0,7mm	250	100	250	3,50	8240005909
Branch Std Galv 0,7mm 250FB 100FB 200FB 30deg	GSAA-251020	0,7mm	250	100	200	3,50	8240005907
Branch Std Galv 0,7mm 250FB 120FB 200FB 30deg	GSAA-251220	0,7mm	250	120	200	3,50	8240005916
Branch Std Galv 0,7mm 250FB 120FB 250FB 30deg	GSAA-251225	0,7mm	250	120	250	3,50	8240005918
Branch Std Galv 0,7mm 250FB 125FB 200FB 30deg	GSAA-251320	0,7mm	250	125	200	3,50	8240005924
Branch Std Galv 0,7mm 250FB 125FB 250FB 30deg	GSAA-251325	0,7mm	250	125	250	3,50	8240005926
Branch Std Galv 0,7mm 250FB 150FB 200FB 30deg	GSAA-251520	0,7mm	250	150	200	3,50	8240005937
Branch Std Galv 0,7mm 250FB 150FB 250FB 30deg	GSAA-251525	0,7mm	250	150	250	3,50	8240005939
Branch Std Galv 0,7mm 250FB 160FB 160FB 30deg	GSAA-251616	0,7mm	250	160	160	3,50	8240005940
Branch Std Galv 0,7mm 250FB 160FB 250FB 30deg	GSAA-251625	0,7mm	250	160	250	3,50	8240005944
Branch Std Galv 0,7mm 250FB 200FB 250FB 30deg	GSAA-252025	0,7mm	250	200	250	3,50	8240005951
Branch Std Galv 0,7mm 250FB 250FB 250FB 30deg	GSAA-252525	0,7mm	250	250	250	3,50	8240005954
Branch Std Galv 0,7mm 300FB 100FB 300FB 30deg	GSAA-301030	0,7mm	300	100	300	4,50	8240006032
Branch Std Galv 0,7mm 300FB 120FB 250FB 30deg	GSAA-301225	0,7mm	300	120	250	4,50	8240006041
Branch Std Galv 0,7mm 300FB 120FB 300FB 30deg	GSAA-301230	0,7mm	300	120	300	4,50	8240006043
Branch Std Galv 0,7mm 300FB 125FB 300FB 30deg	GSAA-301330	0,7mm	300	125	300	4,50	8240006053
Branch Std Galv 0,7mm 300FB 150FB 300FB 30deg	GSAA-301530	0,7mm	300	150	300	4,50	8240006070
Branch Std Galv 0,7mm 300FB 160FB 250FB 30deg	GSAA-301625	0,7mm	300	160	250	4,50	8240006075
Branch Std Galv 0,7mm 300FB 160FB 300FB 30deg	GSAA-301630	0,7mm	300	160	300	4,50	8240006077
Branch Std Galv 0,7mm 300FB 200FB 300FB 30deg	GSAA-302030	0,7mm	300	200	300	4,50	8240006088
Branch Std Galv 0,7mm 300FB 300FB 300FB 30deg	GSAA-303030	0,7mm	300	300	300	4,50	8240006098
Branch Std Galv 0,7mm 315FB 100FB 315FB 30deg	GSAA-321032	0,7mm	315	100	315	5,90	8240006111
Branch Std Galv 0,7mm 315FB 120FB 315FB 30deg	GSAA-321232	0,7mm	315	120	315	5,90	8240006123
Branch Std Galv 0,7mm 315FB 125FB 200FB 30deg	GSAA-321320	0,7mm	315	125	200	5,90	8240006129
Branch Std Galv 0,7mm 315FB 125FB 250FB 30deg	GSAA-321325	0,7mm	315	125	250	5,90	8240006131
Branch Std Galv 0,7mm 315FB 125FB 315FB 30deg	GSAA-321332	0,7mm	315	125	315	5,90	8240006134
Branch Std Galv 0,7mm 315FB 150FB 315FB 30deg	GSAA-321532	0,7mm	315	150	315	5,90	8240006153
Branch Std Galv 0,7mm 315FB 160FB 200FB 30deg	GSAA-321620	0,7mm	315	160	200	5,90	8240006156


FB Branch

Désignation Article	Legacy Item No.	Material Thickness	Diamètre A	Diamètre B	Diamètre C	Poids	[model]
Branch Std Galv 0,7mm 315FB 315FB 315FB 30deg	GSAA-323232	0,7mm	315	315	315	5,90	8240006189
Branch Std Galv 0,7mm 350FB 120FB 250FB 30deg	GSAA-351225	0,7mm	350	120	250	7,40	8240006198
Branch Std Galv 0,7mm 350FB 120FB 300FB 30deg	GSAA-351230	0,7mm	350	120	300	7,40	8240006200
Branch Std Galv 0,7mm 350FB 120FB 350FB 30deg	GSAA-351235	0,7mm	350	120	350	7,40	8240006202
Branch Std Galv 0,7mm 350FB 125FB 250FB 30deg	GSAA-351325	0,7mm	350	125	250	7,40	8240006210
Branch Std Galv 0,7mm 350FB 125FB 300FB 30deg	GSAA-351330	0,7mm	350	125	300	7,40	8240006212
Branch Std Galv 0,7mm 350FB 125FB 350FB 30deg	GSAA-351335	0,7mm	350	125	350	7,40	8240006214
Branch Std Galv 0,7mm 315FB 160FB 250FB 30deg	GSAA-321625	0,7mm	315	160	250	5,90	8240006158
Branch Std Galv 0,7mm 315FB 160FB 315FB 30deg	GSAA-321632	0,7mm	315	160	315	5,90	8240006161
Branch Std Galv 0,7mm 350FB 150FB 250FB 30deg	GSAA-351525	0,7mm	350	150	250	7,40	8240006231
Branch Std Galv 0,7mm 350FB 150FB 300FB 30deg	GSAA-351530	0,7mm	350	150	300	7,40	8240006233
Branch Std Galv 0,7mm 350FB 150FB 350FB 30deg	GSAA-351535	0,7mm	350	150	350	7,40	8240006235
Branch Std Galv 0,7mm 350FB 160FB 250FB 30deg	GSAA-351625	0,7mm	350	160	250	7,40	8240006240
Branch Std Galv 0,7mm 350FB 160FB 300FB 30deg	GSAA-351630	0,7mm	350	160	300	7,40	8240006242
Branch Std Galv 0,7mm 350FB 160FB 350FB 30deg	GSAA-351635	0,7mm	350	160	350	7,40	8240006244
Branch Std Galv 0,7mm 350FB 200FB 250FB 30deg	GSAA-352025	0,7mm	350	200	250	7,40	8240006255
Branch Std Galv 0,7mm 350FB 200FB 350FB 30deg	GSAA-352035	0,7mm	350	200	350	7,40	8240006259
Branch Std Galv 0,7mm 350FB 250FB 350FB 30deg	GSAA-352535	0,7mm	350	250	350	7,40	8240006270
Branch Std Galv 0,7mm 350FB 350FB 350FB 30deg	GSAA-353535	0,7mm	350	350	350	7,40	8240006280
Branch Std Galv 0,9mm 400FB 120FB 400FB 30deg	GSAA-401240	0,9mm	400	120	400	8,50	8240006294
Branch Std Galv 0,9mm 400FB 120FB 350FB 30deg	GSAA-401235	0,9mm	400	120	350	8,50	8240006293
Branch Std Galv 0,9mm 400FB 125FB 300FB 30deg	GSAA-401330	0,9mm	400	125	300	8,50	8240006304
Branch Std Galv 0,9mm 400FB 125FB 350FB 30deg	GSAA-401335	0,9mm	400	125	350	8,50	8240006306
Branch Std Galv 0,9mm 400FB 125FB 400FB 30deg	GSAA-401340	0,9mm	400	125	400	8,50	8240006307
Branch Std Galv 0,9mm 400FB 150FB 350FB 30deg	GSAA-401535	0,9mm	400	150	350	8,50	8240006329
Branch Std Galv 0,9mm 400FB 150FB 400FB 30deg	GSAA-401540	0,9mm	400	150	400	8,50	8240006330
Branch Std Galv 0,9mm 400FB 160FB 300FB 30deg	GSAA-401630	0,9mm	400	160	300	8,50	8240006337
Branch Std Galv 0,9mm 400FB 160FB 350FB 30deg	GSAA-401635	0,9mm	400	160	350	8,50	8240006339

FB Branch

Désignation Article	Legacy Item No.	Material Thickness	Diamètre A	Diamètre B	Diamètre C	Poids	[model]
Branch Std Galv 0,9mm 400FB 160FB 400FB 30deg	GSAA-401640	0,9mm	400	160	400	8,50	8240006340
Branch Std Galv 0,9mm 400FB 200FB 300FB 30deg	GSAA-402030	0,9mm	400	200	300	8,50	8240006354
Branch Std Galv 0,9mm 400FB 200FB 400FB 30deg	GSAA-402040	0,9mm	400	200	400	8,50	8240006357
Branch Std Galv 0,9mm 400FB 225FB 300FB 30deg	GSAA-402330	0,9mm	400	225	300	8,50	8240006361
Branch Std Galv 0,9mm 400FB 250FB 400FB 30deg	GSAA-402540	0,9mm	400	250	400	8,50	8240006370
Branch Std Galv 0,9mm 400FB 315FB 400FB 30deg	GSAA-403240	0,9mm	400	315	400	8,50	8240006382
Branch Std Galv 0,9mm 400FB 400FB 400FB 30deg	GSAA-404040	0,9mm	400	400	400	8,50	8240006385
Branch Std Galv 0,9mm 450FB 150FB 350FB 30deg	GSAA-451535	0,9mm	450	150	350	11,60	8240006408
Branch Std Galv 0,9mm 450FB 150FB 450FB 30deg	GSAA-451545	0,9mm	450	150	450	11,60	8240006410
Branch Std Galv 0,9mm 450FB 160FB 350FB 30deg	GSAA-451635	0,9mm	450	160	350	11,60	8240006419
Branch Std Galv 0,9mm 450FB 160FB 450FB 30deg	GSAA-451645	0,9mm	450	160	450	11,60	8240006421
Branch Std Galv 0,9mm 450FB 200FB 400FB 30deg	GSAA-452040	0,9mm	450	200	400	11,60	8240006439
Branch Std Galv 0,9mm 450FB 200FB 350FB 30deg	GSAA-452035	0,9mm	450	200	350	11,60	8240006438
Branch Std Galv 0,9mm 450FB 200FB 450FB 30deg	GSAA-452045	0,9mm	450	200	450	11,60	8240006440
Branch Std Galv 0,9mm 450FB 225FB 450FB 30deg	GSAA-452345	0,9mm	450	225	450	11,60	8240006448
Branch Std Galv 0,9mm 450FB 250FB 400FB 30deg	GSAA-452540	0,9mm	450	250	400	11,60	8240006454
Branch Std Galv 0,9mm 450FB 450FB 450FB 30deg	GSAA-454545	0,9mm	450	450	450	11,60	8240006476
Branch Std Galv 0,9mm 500FB 150FB 500FB 30deg	GSAA-501550	0,9mm	500	150	500	12,50	8240006489
Branch Std Galv 0,9mm 500FB 160FB 450FB 30deg	GSAA-501645	0,9mm	500	160	450	12,50	8240006500
Branch Std Galv 0,9mm 500FB 160FB 500FB 30deg	GSAA-501650	0,9mm	500	160	500	12,50	8240006501
Branch Std Galv 0,9mm 500FB 200FB 400FB 30deg	GSAA-502040	0,9mm	500	200	400	12,50	8240006520
Branch Std Galv 0,9mm 500FB 200FB 450FB 30deg	GSAA-502045	0,9mm	500	200	450	12,50	8240006521
Branch Std Galv 0,9mm 500FB 200FB 500FB 30deg	GSAA-502050	0,9mm	500	200	500	12,50	8240006522
Branch Std Galv 0,9mm 500FB 225FB 450FB 30deg	GSAA-502345	0,9mm	500	225	450	12,50	8240006530
Branch Std Galv 0,9mm 500FB 225FB 500FB 30deg	GSAA-502350	0,9mm	500	225	500	12,50	8240006531
Branch Std Galv 0,9mm 500FB 250FB 450FB 30deg	GSAA-502545	0,9mm	500	250	450	12,50	8240006538

FB Branch



$$L_1 = (\varnothing_2 \times 2) + 236$$

$$L_2 = (\varnothing_2 / 2) + 58$$

\varnothing_3 must be smaller than or equal to \varnothing_1

\varnothing_2 must be smaller than or equal to \varnothing_3