

Transparent polyurethane hose, t = 0.4. Reinforced with embedded steel helix.



Very flexible hose, light weight. Suitable for transporting abrasive material such as wood shavings, sawdust, cement dust, granulates and technical gases in the chemical and petrochemical industries. Very good resistance to wear and ageing. Good resistance to fuels, oils, solvents and grease.

- Very flexible
- Very good resistance to wear and ageing
- Good resistance to fuels, oils, solvents and grease

Product name	Suction hose PU4
Max vacuum (in. wg)	2,9
Diameter (in)	38
Length (ft)	33
Note	



lmage	Description	Model
	Hose PU4 Ø 38 mm Bending radius inner (32 mm)	40160442
		40375967
		40375972
		40375977
		40375971
		40375974
		40375966
		40375973
		40375965
		40375975
		40375979
		40375981
		40375962
		40375968
		40375969



Image	Description	Model
		40375976
		40375980
		40375970
		40375964
		40375956
		40375957
		40375958
		40375978
		40375963



	Accessory	Part No
0	Hose clamp 85	40903030
	Hose clamp 56	40903170
	Hose clamp 75	40903180
	Hose clamp 112	40903210
	Hose clamp 104-112 ABA Robust	40903270
	Hose Clamp Galv 15mm 24mm	8210002070
	Hose Clamp Galv 19mm 28mm	8210002071
	Hose Clamp Galv 35mm 50mm	8210002072
	Hose Clamp Galv 50mm 75mm	8210002074
	Hose Clamp Galv 50mm 65mm	8210002073
	Hose Clamp Galv 68mm 85mm	8210002075
	Hose Clamp Galv 77mm 95mm	8210002076
	Hose Clamp Galv 87mm 112mm	8210002077
	Hose Clamp Galv 104mm 138mm	8210002078
	Hose Clamp Galv 130mm 165mm	8210002079
	Hose Clamp Galv 150mm 180mm	8210002080
	Hose Clamp Galv 175mm 205mm	8210002081
	Hose Clamp Galv 200mm 231mm	8210002082
	Hose Clamp Galv 226mm 256mm	8210002083
	Hose Clamp Galv 277mm 307mm	8210002085