

Transparent polyurethane hose, t = 0.7. Reinforced with embedded steel helix.



Flexible hose, light weight. Suitable for use as a cleaning/suction hose and to transport abrasive material such as wood shavings, sawdust, cement dust, granulates and technical gases in the chemical and

petrochemical industries. Very good resistance to wear and ageing. Good resistance to fuels, oils, solvents and grease.

- Flexible
- Very good resistance to wear and ageing
- Good resistance to fuels, oils, solvents and grease

Product name	Suction hose PU7
Max vaccum (kPa)	25
Diameter (mm)	38
length (m)	10
Note	Hose PU4 Ø 38 mm Max vacuum kPa at 23 ±2°C (25)



Image	Description	Model
	Hose PU7 Ø 38 mm Bending radius inner (40 mm)	40375982*
		40375989
		40375990
		40375991
		40375992
		40375993
		40375994
		40375995
		40375996
		40375997
		40375998
		40375999
		40376000
		40376001
		40376002



Image	Description	Model
		40376003
		40376004
		40376005
		40376006
		40376007
		40376008
		40375983
		40375985
		40375986
		40375987
		40375988

<sup>\*</sup>Hose PU4 Ø 38 mm Max vacuum kPa at 23 ±2°C (25)



	Accessory	Part No
0	Hose clamp 85	40903030
	Hose clamp 56	40903170
	Hose clamp 75	40903180
	Hose clamp 112	40903210
	Hose clamp 104-112 ABA Robust	40903270
	Hose Clamp Galv 15mm 24mm	8210002070
	Hose Clamp Galv 19mm 28mm	8210002071
	Hose Clamp Galv 35mm 50mm	8210002072
	Hose Clamp Galv 50mm 75mm	8210002074
	Hose Clamp Galv 50mm 65mm	8210002073
	Hose Clamp Galv 68mm 85mm	8210002075
	Hose Clamp Galv 77mm 95mm	8210002076
	Hose Clamp Galv 87mm 112mm	8210002077
	Hose Clamp Galv 104mm 138mm	8210002078
	Hose Clamp Galv 130mm 165mm	8210002079
	Hose Clamp Galv 150mm 180mm	8210002080
	Hose Clamp Galv 175mm 205mm	8210002081
	Hose Clamp Galv 200mm 231mm	8210002082
	Hose Clamp Galv 226mm 256mm	8210002083
	Hose Clamp Galv 277mm 307mm	8210002085