

Pre separator S50, mobile

Mobile pre-separator S50 for liquid collection



Mobile pre-separator for collecting and recycling of oil, cutting fluid, coolant, water and other non-flammable liquids. Perfect formachining and process industries, drilling, milling and turning. A float ball automatically shut off the suction flow when the container is full. The mobile pre-separator is equipped with a tippable container for easy discharge of collected liquids. The inlet and outlet diameter is 51 mm (2 in) for coupler (43930101 and 43930102).

In most vacuum collection and transport systems a pre-separation of the collected material, before the material reaches the filter is very important. To avoid clogging in the extraction unit using a preseparator is fundamental. The pre-separator is connected before a high vacuum unit.

 Mobile pre-separator for collecting and recycling of oil, cutting fluid, coolant, water and other non-flammable liquids. Perfect formachining and process industries, drilling, milling and turning. A float ball automatically shut off the suction flow when the container is full. The mobile pre-separator is equipped with a tippable container for easy discharge of collected liquids. The inlet and outlet diameter is 51 mm (2 in) for coupler (43930101 and 43930102).

In most vacuum collection and transport systems a preseparation of the collected material, before the material reaches the filter is very important. To avoid clogging in the extraction unit using a preseparator is fundamental. The pre-separator is connected before a high vacuum unit.

Product name



Image	Description	Model
	Pre separator S50 mobil, volume 67l.	42950003



14-05-2024

Accessory		Part No
	Container S50 with bottom drain valve R2 BSP	43326014
	Lid S50 with inlet d51 flap valve for plastic fasteners	43611001
•	Suction outlet with flange d51	43620001
	Cup with flange	43621001
	Basket S50	43660001
	Float ball S50/200	43660300
W.	Trolley S50 tippable	43722001



