Nederman

Høyvakuums grovekornseparatorer

Mobile pre-separator S50 for liquid collection



Mobile pre-separator for collecting and recycling of oil, cutting fluid, coolant, water and other non-flammable liquids. Perfect formachining and process industries, drilling, milling and turning. A float ball automatically shut off the suction flow when the container is full. The mobile pre-separator is equipped with a tippable container for easy discharge of collected liquids. The inlet and outlet diameter is 51 mm (2 in) for coupler (43930101 and 43930102).

In most vacuum collection and transport systems a pre-separation of the collected material, before the material reaches the filter is very important. To avoid clogging in the extraction unit using a preseparator is fundamental. The pre-separator is connected before a high vacuum unit.

Produktnavn

Høyvakuums grovekornseparatorer



Høyvakuums grovekornseparatorer

Bilde	Navn på datablad	Model
, Î,	Pre separator S50 mobil, volume 67I.	42950003



Høyvakuums grovekornseparatorer

Tilbehør		Artikkelnummer
	Container S50 with bottom drain valve R2 BSP	43326014
	Lid S50 with inlet d51 flap valve for plastic fasteners	43611001
	Suction outlet with flange d51	43620001
	Cup with flange	43621001
	Basket S50	43660001
<u>_</u>	Float ball S50/200	43660300
L.	Trolley S50 tippable	43722001



Høyvakuums grovekornseparatorer

