

Fan N3








Designed for extraction and filtration of noxious fumes and vapours for the smaller workplace, for instance when soldering, gluing or working with solvents. It is intended to be used in different combinations with the FX arms or the Down Flow Grille FD 23.

- Easy to install
- The Filter Cartridge Standard consists of particle, HEPA and gas filter
- The Filter Cartridge Gas is a pure carbon filter
- The filter cartridges are disposable and easy to change










Product name	Fan N3
Airflow (m ³ /h)	Max. 200
Frequency (Hz)	50 / 60
No of phases	1




Fan N3

Image	Description	Power Voltage (V)	Electric plug	Power (kW)	Model
	N3 Fan with speed control	220 - 240	Euro (CEE 7/2 P+E)	0,12	70801434
	N3 Fan with speed control	220 - 240	UK	0,12	70801034
	N3 Fan with speed control	220 - 240		0,12	70801234
	N3 Fan	220 - 240	without	0,12	70377094
	N3 Fan with speed control	100		0,17	70800534

Fan N3

	Accessory	Part No
	Active carbon filter 4 kg	70312427
	N3 filter standard	70311427
	3 way adaptor 3x45mm 1x125mm	70372012
	FX-Down flow grille FD.	70373527
	FX-Reducer 45/32 -down flow grille, connect FX Down flow grille FD with D45/32 hose.	70373605
	T-conn. 1x125mm, 2x100mm	70500526
	T-conn. 1x125mm, 2x100mm ESD	70500529
	Reducer ø125/75mm white	70345401
	Silencer ESD box, N3 Fan and Filter.	70377164
	Adapter for connecting two N3 filter cartridges	70332904

Fan N3



Pressure diagram