

216 E


大容量除尘和集尘



216气动或者电动驱动工业用真空吸尘器是一款吸力强大的干式工业粉尘真空吸尘器，适合于材料加工，建筑物和建筑行业以及化工行业。

- 旋风预分离
- 手动过滤清洗延长过滤器的使用寿命
- 高性能抽排

品名	216 E
噪音水平 (分贝)	75
安装	室内
材料	钢板外壳
清灰方式	反吹风清灰
应用	粉尘, 颗粒物, 沙砾, 烟气, 切屑
灰斗容量	47
最大风量 (m ³ /h)	460
胶管长度 (米)	7.5
过滤面积 (平方米)	2.38
电压 (V)	230
电源相数	1
除尘器类型	滤筒式过滤器
插头类型	欧式 (CEE 7/2 P+E)
Max airflow (m ³ /h)	460
Noise level (dB(A))	75
Max vacuum (kPa)	-21,5
重量 (公斤)	69
功率 (kW)	2,4



颗粒物 沙砾 烟气 切屑 粉尘

216 E

产品名称	频率 (Hz)	滤芯数量	滤芯	软管类型	Hose length (m)	Hose diameter (mm)	产品编号
216E - NEL3R, S50, 230V, 50/60Hz	50/60	1	纸质	PE/C	7,5	51	42421681
216E - NEL3R, S50	50	1	微纤维	PE/C	7,5	51	42421600*
216E - NEL3R, S50	50/60	2	Paper + Microfibre				42421602**
216E - NEL3R, S50 . Large container 67l.	50/60	1	微纤维	PE/C	7,5	51	42421604*
216E - NEL3R, S50, 2.5/2.4kW, 230V, 50/60Hz, inlet d51/76	50/60	1	纸质	PE/C	7,5	51	42421621**
216E - NEL3R, S50, 2.5/2.4kW, 230V, 50/60Hz	50/60	1	纸质	PE/C	5	38	42421629**
216E - NEL3RT, S50	50/60	2	Paper + Microfibre	PE/C	7,5	51	42421601***
216E - NEL3RT, S50, 2.5/2.4 Kw, 230V, 50/60Hz	50/60	1	纸质				42421680****

*Radio interference suppression. With cleaning set, brush and conical nozzle.

**Radio interference suppression.


***Radio interference suppression. Cooling airfilter and thermoswitch (75 deg.). With cleaning set, brush and conical nozzle.

****Radio interference suppression. Cooling airfilter and thermoswitch (75 deg.)

See table below

软管类型	描述	温度范围, 摄氏度	管尾接头, 输送软管	管尾接头, 进气软管	盘管器, 输送软管	盘管器, 进气软管
PEC	清洗应用, 最大真空50 kPa, 电导率 10^{-6} 欧姆	-40 Deg. C. - +60 Deg. C.				

216 E

附件		产品编号
	Plastic bag S50 – 25pcs 500 x 600 mm with hole for bin balancing	43650102
	Plastic bag S50 – 25pcs 630x800 mm with hole for bin balancing	43650103