


Suction hose W

Application areas light and flexible plastic hose. Mainly used for extraction of fumes from welding torches with integrated extractor or nozzle















Product name	Suction hose W
---------------------	----------------

Suction hose W

Image	Description	Max vakuum (in. wg)	Diameter (in)	Length (ft)	Model
	Hose W-50 L=20m	8,7	50	66	40161253
	Hose W-63 L=20m	8,7	63	66	40161263
	Hose W-44 L=20m	8,7	44	66	40161283
	Hose WH-38 L=10m m.spiral	60	38	10	40160292
	Hose WH-51 L=10m m.spiral	60	51	10	40160272
	Hose W-44 L=5m	8,7	44	16	40376009
	Hose W-44 L=10m	8,7	44	33	40376010
	Hose W-51 L=5m	8,7	51	16	40376011
	Hose W-51 L=10m	8,7	51	33	40376012
	Hose W-63 L=5m	8,7	63	16	40376013
	Hose W-63 L=10m	8,7	63	33	40376014

Suction hose W

	Accessory	Part No
	Hose Shelf 30M 115x70	40195450
	Hose Shelf 60M 150x110	40195451
	Hose Shelf 120M 200x160	40195452
	Hose & Add.shelf	40196370
	Hose clamp 85	40903030
	Hose clamp 50	40903160
	Hose clamp 56	40903170
	Hose clamp 75	40903180
	Hose clamp 112	40903210
	Hose clamp 104-112 ABA Robust	40903270
	Ball valve 38 typ 353 PVC cpl.	40615210
	Ballvalve for Ø44 mm hoses	40376978