

地面清洁系统: 38 mm

与F40型接头连接



38mm清洁设备灵活且易于操作，主要用于细微粉尘的轻载清洁

铝制的落地式吸嘴附带滚轮和可替换的橡胶边/毛刷
抗静电

品名	地面清洁系统: 38 mm
----	---------------

地面清洁系统: 38 mm

[image]	产品名称	产品编号
	Cleaning equipment with 370 mm with rubber rim	40377083*
	Cleaning equipment with 450 mm with rubber rim and brush	40377086*
	清洁设备, 地面吸嘴 L=370mm, 配橡胶胶缘、5m PE/C 软管	40377084*
	清洁设备, 地面吸嘴 L=370mm, 配刷子、5m PE 软管	40191230
	清洁设备, 地面吸嘴 L=370mm, 配刷子、2x5m PE 软管	40191210
	清洁设备, 地面吸嘴 L=450mm, 配橡胶胶缘、5m PE/C 软管	40377087**

*ATEX: 适用于可燃粉尘 (20区,21区,22区)。确保抽排设备接地。不能用于可燃气体环境和易爆物质的抽排。

**ATEX – Suitable for combustible dust with MIE (minimum ignition energy) < 1mJ. Ensure earthing to extraction unit. Not to be used in combustible gas atmospheres or extraction of explosive materials
Couplings – M40, F40 & FM40–50P

地面清洁系统: 38 mm

附件		产品编号
	用于连接 40 公接头和 50 母接头的转换接头	40151300
	地面吸嘴, 宽度 370 mm	40377085*
	地面吸嘴, 宽度 450 mm	40377088*
	Cleaning pipe 40	40376015
	弯管 40 mm	40195960
	直管, 管径40	40195970
	抽排管三件套 d38	43841001
	铁肩抽吸装置 d38 I500	43851001
	管道, D=38, 铝材料	40195060
	地底尾气抽排吸嘴 CE 300 P L=300 GMW	40195900
	地底尾气抽排吸嘴 CE 370 P L=300 GMW	40195910
	软管& 清灰套件支架	40196370
	软管架, 60M 150x110	40195451

*ATEX – This product is suitable to be used as cleaning equipment for combustible dusts with MIE (minimum ignition energy) >1 mJ. Product is to be properly earthed to the extraction unit. Not for usage in combustible gas atmospheres or extraction of explosive materials.