

Automatically cleaned for light to medium dust & fume applications.





When mobility, flexibility and a compact footprint is key, a mobile solution is the often the best way to avoid contaminant exposure. Nederman FilterBox range of mobile dust and fume extraction units are easy to move around your factory to wherever the extraction is needed.

The FilterBox 10A+ is equipped with a 10 ft, 6" NEX-MD extraction arm with spark protector and a N24 fan for a maximum air flow capacity of 600 CFM (1 000 m3/h). The nanofiber media technology utilized in the extra large 183 ft2 (17 m2) cartridge is ideal for welding. It offers significant performance advantages like higher efficiency (MERV 15) and surface loading properties which results in more effective filter cleaning and longer cleaning intervals. Advantages that will impose benefits in terms of filter life, productivity and lower cost of ownership.

The unit has an advanced filter control system indicating the pressure drop with a series of LED's as well as on the LCD display. When the air flow is too low an audial alarm precedes the automatic, motorized compressed air cleaning sequence. An integrated silencer reduces noise from the fan and outlet air. Additional protection from harmful particles is provided if a HEPA filter is installed (optional). FilterBox 10A+ is available as a mobile unit on wheels but can be fixed mounted with an accessory kit.

Note! FilterBox is not for use in environments where combustible dust or gases are present, and it is not for use in filtering combustible dust or gases.

- Automatically operated filter cleaning with compressed air for long filter life.
- LCD panel with operating status and menu system for parameter setup and settings.
- Automatic damper preventing dust from leaking out while cleaning.
- Dust free filter replacement and emptying of dust bin.
- MERV 15 rated filter ASHRAE Standard 52.2, 2017, third party tested.

Approved for welding fumes category W3 according to EN 15012-1, third party tested.

Product name	FilterBox 10A Plus
Noise level (dB(A))	66
Protection class	IP 54
Filter efficiency (%)	99,9
Installation	[Indoor]
Material	Casing in rotomoulded plastic
Dustbin volume (gal)	4
Extraction arm diameter (in)	6



Airflow (CFM)	600
Filter Area (ft²)	183
Arm length (ft)	10 (NEX MD)
Power Voltage (V)	110
Frequency (Hz)	60
No of phases	1
Filter type	[cartridge]
Number of filter elements	1
Filter material	Nanofiber
Electric plug	[without]
Mounting	[mobile]
Max airflow (m³/h)	1020 (600 CFM)
Weight (lbs)	269
Filter cleaning method	[CompressedAir]
Power (Hp)	1.0





[image]	Description	[model]
	FilterBox 10A+ Nano fiber 1/110/60 mobile	12645163



	[accessory]	[partno]
	Filter NANO-FB-17	12377251
	Filter PTFE-FB-13	12377252
	Trolley for Filterbox	12376841
03	Sensor Clamp	14372199
	Ultra high efficiency HEPA secondary filter for FilterBox, HE15	12376756
	Floor Mount Conversion Kit	89299233
	Wall Mount Kit	89299136
	LED light/fan switch Original	10376922
	Spark protection for Original/NEX MD-hood	10551335
	HEPA filter H13 10m2 Filterbox	12376615
O	Spotlight original, 24V, 5W	12376616*
1	Bags for Filterbox dust bin, 10pcs	12376618
	Twin Module blue	12376801

<sup>\*</sup>Switch for light (no fan start)