

FlexPAK DX

采用变频调速的紧凑型高真空除尘器，适用于可燃粉尘应用。可以同时服务于2-10个抽排点。



FlexPAK DX是一款变频控制的高真空除尘器，用于抽排可燃粉尘。FlexPAK DX用于清洁工作场所，车间地面和设备，也适用于手持工具应用。FlexPAK DX可根据真空要求自动调速。与传统的控制器相比，FlexPAK DX提供了优化且平衡的真空动力，更加贴合用户的需求，而且节约能源。FlexPAK DX具有不同的运作模式，可以满足用户的特定需求。FlexPAK DX提供强大的真空动力，典型应用包括长管道运输或重物料运输，或需要保持持续真空水平的应用。共有两种版本：FlexPAK DX 配备泄放爆炸压力的爆破片；FlexPAK DX F2配备无焰泄放系统，可用于某些室内的应用。需根据爆炸性质和粉尘性质进行选型。







安装方便
内置PLC功能
运营成本低
可靠
应用范围广

品名	FlexPAK DX
噪音水平 (分贝)	70
保护等级	IP 42
安装	室内, 室外
材料	C2 according to ISO 12944-2
适用于易爆粉尘	True
清灰方式	反吹风清灰
物料回收 (%)	93,6
应用	颗粒物, 沙砾, 烟气, 切屑, 粉尘
工作压力 (千帕)	20-35
灰斗容量	70
最大风量 (m3/h)	1300
过滤面积 (平方米)	6
频率 (Hz)	50/60
电源相数	3
除尘器类型	滤袋
滤芯数量	2
滤芯	Antistatic polyester
Compressed air requirement	6-7 bar
Max vaccum (kPa)	35
Inlet	150 mm
重量 (公斤)	454
技术数据声明	Filter elements - 2 (main and control filter)



颗粒物 沙砾 烟气 切屑 粉尘

FlexPAK DX

[image]	产品名称	电压 (V)	Noise level (dB(A))	功率 (kW)	产品编号
	FlexPAK DX F2 400V 50/60Hz	400	70 dB(A)	18,5	40050359*
	FlexPAK DX 400V 50/60Hz	400	70		40050364*
	FlexPAK DX 460V 50/60Hz IOT EU	400	70	21,5	40050369*
	FlexPAK DX 400V 50/60Hz IOT EU	400	70	18,5	40050370*
	FlexPAK DX 460V 50/60Hz IOT Adv EU	460		21,5	40050372*
	FlexPAK DX 400V 50/60Hz IOT Adv EU	400	70	18,5	40050373*



*Filter elements – 2 (main and control filter)

FlexPAK DX

	附件	产品编号
	过滤器, 带火警警报	40116540
	替代塑料袋 730x900, 20pcs, 导电材料用于EX应用	40118800
	带凸缘管路 直径150mm 长1米	40375263*
	法兰弯头 90度 直径 150mm	40375264*
	传感器 防爆型	40375269
	压差开关 3-15 kPa	40375273
	Flanged pipe d150, 0,5m	40376525*
	Flanged bend 45 150	40376770*
	泄爆导流板 220x540	40376771
	Control filter insert	40375270
	切断开关, MS3-KG64	40122290
	压缩空气开关	40620370
	消音器LT160	40139090
	Grating spiro 160mm	40130230
	Flanged trans.pipe0,2m DN150 B-Flap	40376973
	Adapter flange/flange DN150 B-Flap	40376976

*Pressure resistant pipes and bends for installation between filter inlet and the isolation valve. An adapter is needed between the pipe and isolation valve flanges. Fasteners and seals are included.

FlexPAK DX



FlexPAK DX

