

Fan N16 Portable Fan






Nederman portable fans are simple and powerful ventilation units for service, repairs and other temporary work. Ideal as an extractor for welding fumes, steam, dust or for providing fresh air during work in confined and enclosed spaces. A compact and easy-to-use fan which, in combination with inlet and outlet connections, makes a flexible and versatile unit with a wide range of applications.

- Compact
- Easy to use
- Stand included, wheel set as accessory
- On/off switch and motor protector included






Product name	Fan N16 Portable Fan
Noise level (dB(A))	62
Installation	[Indoor], [Outdoor]
Material	<ul style="list-style-type: none">• Fan casings: Galvanised sheet steel• Impeller: Die cast aluminium
Capacity (max airflow m ³ /h)	1200
Ambient temperature range	-20° to +40° Celsius
Operating Temperature	Max 60 C
Frequency (Hz)	50
No of phases	1
Weight (kg)	15
Power (kW)	0,55




Fan N16 Portable Fan

Image	Description	Power Voltage (V)	Electric plug	Amperage (A)	Model
	Portable Fan N16, with CEE 7/4 power plug	220-240	Euro (CEE 7/2 P+E)	4,4	14511321
	Portable Fan N16, with IEC 60309 2P+E 230V power plug	220-240	Euro (CEE 17/2 P+E)	4,4	14512221
	Portable Fan N16, with IEC 60309 2P+E 110V power plug	110-120	Euro (CEE 17/2 P+E)	8,7	14511921

Fan N16 Portable Fan

Accessory		Part No
	Hose and nozzle kit for portable fan	14346590
	Wheels set for portable fan N16/N24	14371707
	PVC hose. Ø100mm. l=5m	10500427
	PVC-hose. Ø125mm. l=5m.	10500527
	PVC-hose. Ø150mm. l=5m.	10500627
	PVC-hose Ø160mm. l=5m	10511026

Fan N16 Portable Fan



A: Fan total Pressure

B: Fan Static Pressure

X: m³/h

Y: Pa

