

Industrial vacuum cleaner 300 E

Compact and easy to handle dry vacuum with optimal suction power ideal for cleaning operations within the industry



The 300E is a compact industrial vacuum cleaner with long filter lifetime, 4000 - 6000 hours with bag filter. This dry vacuum is robust but easy to transport and has micro-filter as option. Convenient accessory box for brushes, nozzles etc. on the rear of the unit. Optimal suction power – twin single phase motors.

- Convenient accessory box
- Ergonomic trolley with adjustable handle
- Long filter lifetime (4-6000 hours) with bag filters
- Micro filter as option
- Micro filter as option

Product name	Industrial vacuum cleaner 300 E
Noise level (dB(A))	75
Protection class	IP 24
Filter efficiency (%)	99
Installation	[Indoor]
Material	Housing in sheet metal
Filter cleaning method	[ReverseAirPulse]
Application	[dust], [granulate], [fumes], [swarf]
Working pressure (kPa)	22
Dustbin volume (l)	21
Max Airflow (m ³ /h)	300
Hose Diameter (mm)	38
Hose length (m)	5
Filter Area (m ²)	0.95
Power Voltage (V)	230
Frequency (Hz)	50/60
No of phases	1
Number of filter elements	1
Electric plug	[euro]
Type of hose	[PE]
Weight (kg)	36



Granulate Fumes Swarf Dust

Industrial vacuum cleaner 300 E









Filter type	Power (kW)	[model]
	2,4	40055100*
	2,5	40055400**

*300E is equipped with automatic start/stop as standard for pneumatic (1/4" or 1/8" connection)

**300E is equipped with automatic start/stop as standard for pneumatic (1/4" or 1/8" connection) and electrical tools (Max 1300 W).

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PE		-40 Deg. C - +60 deg. C.				

Industrial vacuum cleaner 300 E

	[accessory]	[partno]
	Replacement main filter	40119951
	Replacement microfilter 300E, HEPA class H13	40119970
	Extended brush, 169 x 54 mm.	40190020*
	Brush hygiene, food industry	40190030*
	Round rubber brush with swivel top	40193080*
	Circular crevice nozzle in plastic. Length: 360 mm. Width: 45 x 10 mm.	40193090*
	Circular crevice nozzle in steel Length: 310 mm. Width: 55 x 15 mm	40193620**
	Rubber nozzle for confined spaces. Length: 230 mm. Width: Ø 32–38 mm.	40193130*
	Rubber nozzle for confined spaces. Length: 230 mm. Width: Ø 25–32 mm.	40193110*
	Nozzle crevice plastic 60x15 D=40	40377194

*ATEX: Suitable for combustible dust (zone 20,21,22). Ensure earthing to extraction unit. Not to be used in combustible gas atmospheres or extraction of explosive materials.

**ATEX: Suitable for combustible dust (zone 20,21,22) and gas (zone 1,2) of group IIA, IIB and IIC. Ensure earthing to extraction unit. Not to be used for extraction of explosive materials