

Elektrozuiger 30S

Economische en gebruiksvriendelijke 3-fasige verrijdbare industriezuiger



Deze driefasige compacte mobiele stofafzuigers zijn efficiënt, zuinig en gebruiksvriendelijk. De unit is zeer eenvoudig te demonteren en reinigen. De locatie van het (optionele) microfilter voorkomt dat de motor verontreinigd raakt. De vooruit/achteruit schakelaar bespaart tijd bij het wisselen van werkplek met een andere fasevolgorde.



- Eenvoudig te hanteren
- Hoge filtratie efficiëntie
- Economisch
- Micro-filter als optie

Product naam	Elektrozuiger 30S
Geluidsniveau (db(A))	71 dB(A) (ISO 11201)
Beschermingsklasse	IP55
Filter efficiëntie (%)	99
Installatie	Binnen
Materiaal	Behuizing van plaatstaal
Filter reinigingsmethode	perslucht retour
Applicatie	Stof, Granulaten, Dampen
Volume opvangbak (l)	25
Max. luchtstroom (m ³ /per uur)	240
Slangdiameter (m)	38 (inlaat is een 50 mm flapklep)
Hose length (m)	5



Elektrozuiger 30S

Elektrozuiger 30S

[accessory]		[partno]
	Replacement Microfilter (D=140 x 350)	40114110
	Circular crevice nozzle in steel Length: 310 mm. Width: 55 x 15 mm	40193620*
	Plastic sacks 620x720 15-pack	40376934

**ATEX - Suitable for combustible dust (zone 20,21,22) and gas (zone 1,2) of group IIA , IIB and IIC. Ensure earthing to extraction unit. Not to be used for extraction of explosive materials*