
Nederman



Nederman PowerBox & Power Arm

The ulimate combination for clean and efficient tool operations

Optimal access to compressed air, vacuum, and power supply

Nederman PowerBox

Nederman PowerBox offers maximum convenience and easy access to compressed air, vacuum. A wide range of optional electric sockets for different standards are also available. Nederman PowerBox is suitable for grinding and sanding applications with on-tool extraction. It contributes to a clean, ergonomic, and safe workshop and saves floor space. Cables and hoses are kept off the floor reducing the wear. Tools are easy accessible on the tools holders

- Soft rubber handles preventing injuries and damage.
- Three compressed air connections.
- Two vacuum hose connections.

 The sliding valves with an on/off function allow a constant connection of the power tools.
- Nederman quick-couplers fit the vacuum hose connections allowing connection of hoses with diameters 19 to 63 mm.





Cables and hoses are kept off the floor reducing the wear. Tools are easy accessible on the tools holders.




The flexible jointed arm makes it possible to reach several workspaces, and can easily be stowed away.

With flexible coverage of several workspaces



The PowerBox, a suitable arm and the wall bracket must all be ordered separately. See back page.



NOTE: The PowerBox, a suitable arm and the wall bracket must all be ordered separately. First order the PowerBox version you need, then the wall bracket or a suitable arm. The PBA is not recommended for the heaviest models of the PowerBox, see table below. If you order the Extension Arm then you must also order the PowerKit for connection of the PowerBox to the Extension Arm.



www.nederman.com