

PRODUCT LEAFLET

Exhaust Hose NR-CP

Crush-proof rubber hose



Exhaust Hose NR-CP

- ✓ For more rugged and intensive use.
- ✓ Temperature range: Continuous use: +150 °C. Short-term use: +170 °C.
- ✓ Flexible minimal bending radius

Specifically designed to be flexible and ductile, and to have a very low pressure drop. They are resistant to all chemicals in diesel and petrol exhaust fumes, and show high resistance to mechanical stress.

Exhaust Hose NR-CP

[ProductCertifications]	[ce]
-------------------------	------


Models

	Item number	[ItemTypeofhose]	[ItemHoseDiameter]	[ItemHoseLength]	[ItemWeight]
	20807962	[NRCP]	100	5	1,15 kg/m
	20808162	[NRCP]	100	10	1,15 kg/m
	20808362		125	5	1,3 kg/m
	20808962	[NRCP]	150	10	1,50 kg/m
	20808762	[NRCP]	150	5	1,50 kg/m
	20820162	[NRCP]	75	2,5	0,83 kg/m
	20820262	[NRCP]	75	5	0,83 kg/m
	20820362	[NRCP]	100	2,5	1,15 kg/m
	20820462	[NRCP]	100	5	1,15 kg/m
	20820562	[NRCP]	100	7,5	1,15 kg/m
	20808062	[NRCP]	100	7,5	1,15 kg/m
	20820662	[NRCP]	100	10	1,15 kg/m
	20820762	[NRCP]	125	2,5	1,30 kg/m
	20820862	[NRCP]	125	5	1,30 kg/m

Models

	Item number	[ItemTypeofhose]	[ItemHoseDiameter]	[ItemHoseLength]	[ItemWeight]
	20820962	[NRCP]	125	7,5	1,30 kg/m
	20821062	[NRCP]	125	10	1,30 kg/m
	20821162	[NRCP]	150	2,5	1,50 kg/m
	20821262	[NRCP]	150	5	1,50 kg/m
	20821362	[NRCP]	150	7,5	1,50 kg/m
	20821462	[NRCP]	150	10	1,50 kg/m
	20810762	[NRCP]	200	5	1,90 kg/m
	20823962	[NRCP]	200	10	1,90 kg/m
	86900245				


Accessories


	Accessory	Item number
	Rubber sleeve, hose clamp 3" 2pc.	20342489
	Hose suspension DN 75	20373615
	Hose suspension DN 100	20373607
	Hose suspension DN 150	20373609
	Hose Suspension DN 125	20373608
	Rubber sleeve, hose clamp 6" 2pc.	20331552
	Rubber sleeve, hose clamp 4" 2pc.	20342490
	Rubber sleeve, hose clamp 5" 2 pc.	20342712
	Rubber sleeve, hose clamp Ø200	20373838
	Quick coupler 100mm (2 pcs)	20374641
	Connection kit 4" for quick coupler	20375048
	Mechanical quick coupler 4", male	20375049
	Safety Coupling 6" male	20376017
	Y-pipe Ø100/100/100	20376647
	Hose coupling 100 (4")	20947410
	Hose coupling 125 (5")	20948710

Accessories

	Accessory	Item number
	Hose coupling 150 (6")	20948810
	Hose coupling 200 (8")	20948910
	Y adapter 3x4" Nrcp hose	20374276
	Reduction 200mm-150mm	20374284
	Quick coupling D=100 (4") male	20947710
	Quick coupling D=100 (4") female	20948110
	Quick coupling D=150 (6") female	20948310
	Quick coupling D=150 (6") male	20947910
	Connection set 3"	20373286
	Connection set 4"	20373287
	Connection set 5"	20373288
	Connection set 6"	20373289
	Connection set 8"	20373290
	Bend 4".	20344591
	Bend 5".	20344592
	Bend 6".	20344593

Accessories

	Accessory	Item number
	Bend 8"	20371927
	Safety coupling 4"	20374541
	Safety coupling 6"	20374543
	Connector 6"-5", steel.	20344353
	Connector 5"-4", steel.	20344354
	Connector 4"-3", steel.	20342483
	Hose suspension DN 100 - 150	20374530
	Junction pipe d=160	20371413
	5in Clip Grip/Bridge Hose Clamp	87000932



Y = Pressure drop Pa/m X = Airflow m³/h A= Ø75 mm (3") on reel B= Ø75 mm (3") straight D= Ø100 mm (4") straight C= Ø100 mm (4") on reel E=Ø125 mm (5") on reel F= Ø125 mm (5") straight G= Ø150 mm (6") on reel H= Ø150 mm (6") straight

