

PRODUCT LEAFLET

Hose Reel 884

Heavy duty hose reel for air, water, oil, diesel and grease.



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-05-29 1/



Hose Reel 884

- Fully protected inner mechanisms
- Strong, durable and highly corrosion resistant
- Adjustable outlet arm minimizes friction
- Easy service and cleaning.
- The recycled aluminium and composite drum reduces the environmetal impact.

Heavy duty hose reel for air, water, oil, diesel and grease. Suitable for long and heavy hoses. Made of epoxy coated die cast aluminium. Ball bearings in drum and swivel

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-05-29

Nederman

Hose Reel 884

Hose Reel 884

[ProductCertifications]	[ce]
[ProductMaterialrecycling]	100

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-05-29 3/9

Nederman

[Product Connection Hose Length]

1

Hose Reel 884

Models

Item					
number	[ItemDeliveredWithHose]	[ItemCorrosionResistance]	[ItemElectricSpringDriven]	[ItemHoseMedia]	[ItemTypeofhose]
30860084 ^[1]	[Without]	Standard	Spring		
30860184 ^[2]	[Without]	Standard	Spring		
30860284	[With]	Standard	Spring	Compressed air, Water	

	ltem number	[ItemDeliveredWithHose]	[ItemCorrosionResistance]	[ItemElectricSpringDriven]	[ItemHoseMedia]	[ItemTypeofhose]
1						
	30860484 ^[3]	[Without]	Standard	Spring	[diesel]	
	30860584	[With]	Standard	Spring	Oil	0)
	30860684 ^[4]	[Without]	Standard	Spring	Oil	
	30860784	[With]	Standard	Spring	Oil	[B]
	30860884 ^[5]	[Without]	Standard	Spring	Oil	
	30860984	[With]	Standard	Spring	[grease]	03
	30861184 ^[3]	[Without]	Standard	Spring	Oil	
	30861084	[With]	Standard	Spring	Oil	[]
	30861284	[With]	Standard	Spring	Oil	[1]
	30861384 ^[4]	[Without]	Standard	Spring	Oil	
	30861484	[With]	Standard	Spring	Water high pressure	[G]

 $This content is protected under copyright law, furnished for informational use only, and subject to change without notice. \\ @ Nederman Holding AB$

2025-05-29 4/9

Nederman

Hose Reel 884

Models

ltem number	[ItemDeliveredWithHose]	[ItemCorrosionResistance]	[ItemElectricSpringDriven]	[ItemHoseMedia]	[ItemTypeofhose]
30861584 ^[6]	[Without]	Standard	Spring	Water high pressure	
30861684	[With]	Standard	Spring	Water, Food	(E)
30861784		Standard	Spring	Water, Food	[E]
30861884	[With]	Standard	Spring	Water, Food	E

ltem number	[ItemDeliveredWithHose]	[ItemCorrosionResistance]	[ItemElectricSpringDriven]	[ItemHoseMedia]	[ItemTypeofhose]
30861984	[With]	Standard	Spring	Compressed air, Water	[D]
30862084 ^[5]	[Without]	Standard	Spring	Compressed air, Water	
30862184	[With]	Standard	Spring	Compressed air, Water	[D]
30862284[3]	[Without]	Standard	Spring	Compressed air, Water	
30862384		Standard	Spring	Compressed air, Water	[D]
30862484 ^[4]	[Without]	Standard	Spring	Compressed air, Water	
30862584[7]	[With]	Standard	Spring	Compressed air, Water	[0]
30862684 ^[7]	[With]	Standard	Spring	[grease]	0)
30862784 ^[7]	[With]	Standard	Spring	Oil	[0]
30862884 ^[7]	[Without]	Standard	Spring	Oil	
i		:	:		

 $This content is protected under copyright law, furnished for informational use only, and subject to change without notice. \\ @ Nederman Holding AB$

2025-05-29 5/9

Nederman

Hose Reel 884

Models

ltem number	[ItemDeliveredWithHose]	[ItemCorrosionResistance]	[ItemElectricSpringDriven]	[ItemHoseMedia]	[ItemTypeofhose]
30862984 ^[7]	[With]	Standard	Spring	Oil	[D]
30863084 ^[7]	[With]	Standard	Spring	Water high pressure	[G]
30863184 ^[7]	[Without]	Standard	Spring	Water high pressure	
30863284 ^[7]	[With]	Standard	Spring	Compressed air, Water	[D]
30863384 ^[7]	[With]	Standard	Spring	Compressed air, Water	[D]
30863484[8]	[Without]	Standard	Spring		

ltem number	[ItemDeliveredWithHose]	[ItemCorrosionResistance]	[ItemElectricSpringDriven]	[ItemHoseMedia]	[ItemTypeofhose]
30863584	[With]	Standard	Spring	Oil	
30860384[4]	[Without]	Standard	Spring	Compressed air, Water	
88000581					

[1] Without swivel. For 25 mm hose diameter max 10m hose length.
[2] Without swivel
[3] For 19 mm hose
[4] For 12,5 mm hose
[5] For 25 mm hose
[6] For 10 mm hose
[7] NPT
[8] For 10 or 12,5 mm hose

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-05-29 6/9

Nederman

Accessories

	Accessory	Item number
	Roller guide.	30341550
7	Water gun in chromium plated brass. Max. temperature 95°C	30400110
	Water gun in stainless steel 316. Max. temperature 95°C	30400210
	Watergun EX	30400211
	Water gun in stainless steel 316. Max. temperature 95°C	30400310
7	Air gun, standard.	30410110
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410
	Swivl. coupl.1/2(m)-3/8(f) brass	30431510

	Accessory	Item number
	Swivl.coupl.1/2(m)-1/2(f) brass	30431610
	Swivel coupling 1/2(m)- 3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl.coupl.1/2(m)-3/4(f) SS	30432010
II.	Pivoting Wall bracket FZB	30373667
75	Inlet kit for hose reel 1/2"	30511550

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-05-29 7/9

Nederman

Hose Reel 884


Accessories

	Accessory	ltem number
See .	Inlet kit for hose reel 3/8" with ball valve 3/8", 3/8"-3/8" adapter and 1/4" - 3/8" adapter.	30511650
	Pivoting Wall bracket RF	30373668

2025-05-29

Nederman

Hose Reel 884



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-05-29 9/9