

PRODUCT LEAFLET

Drum filler 014A

Well suited for extraction of liquids



Drum filler 014A

- Simple and robust ejector
- 🕥 No filter is needed
- 🕥 Drum is not included
- 📎 Easy handling

Handy ejector-driven drum filler for collection and transport of oil, chemicals, water and other liquids. It is placed in a bung-hole (R 2") of an empty but suitable oil drum. By connecting the unit to a compressed air hose and a suction hose, it is ready for use. Suction stops when the drum is full, due to the built-in float stop. The ejector is easy to mount on a variarity of drums. Drum is not included.

Drum filler 014A

[ProductCertifications]	[ce]
[ProductNoiselevel]	80
[ProductCompressedairconsumption]	0,7 Nm3/min
[ProductInstallation]	[Indoor]
[ProductMaterial]	Hose in conductive PE
[ProductApplication]	[liquid]
[ProducHoseLength]	5

Models

	ltem number	[ItemTypeofhose]	[ItemMaxAirFlow]
and the second s	42101402 ^[1]	[PE]	132
	42101404 ^[2]	[PE]	132
-			

^[1] With cleaning set and conical nozzle and trolley ^[2] With cleaning set

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



