

PRODUCT LEAFLET



ATEX approved vacuum cleaning system for tank stripping ship tanks on board oil tankers and product carriers.



#### Nederman

#### 950A EX

📎 High vacuum capacity giving high product lift

🔊 950 L (251 gal) storage capasity

ATEX approved tank stripping unit

This heavy duty stainless steel industrial vacuum unit is excellent for suction of hazardous and flammable liquids. Tank stripping vacuum system can transport material over long vertical and horizontal distances.

The tank cleaning unit is suitable for various cleaning and liquid pick-up operations in industry, and for stripping of cargo tanks and deep well sumps in shipping. Normally connected to tank stripping pumps equipped with stripping pipe. Parts in direct contact with collected liquids are made from stainless steel.

All parts are anti-static and conductive to avoid static electricity loading. Suitable for suction of oil, water and other liquefied products. ATEX approval; EX II 2 GD c IIC T6.

# 950A EX

[ProductCertifications]	[ce], [ex]
[ProductApplication]	[liquid]

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Models

ltem number	[ItemTypeofhose]	[ItemDeliveredWithHose]	[ItemMaxAirFlow]
42295000 <sup>[1]</sup>	[W]	[Without]	318


<sup>[1]</sup> ATEX - EX II 2 GD c IIB 60°C(T6)

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

### Accessories

Accessory	ltem number
Pump kit for Ab950EX; EX II 2 GD c IIC T4	40376721
Level Gauge w/ DN50 flange	43290152

#### Nederman



Air Powered ejectors All performance data are based on 7 bar supply pressure