

PRODUCT LEAFLET

# AUTO-M



## AUTO-M









- ✓ All access for maintenance from the front of the unit
- ✓ No need for compressed air
- ✓ ATEX-certified for explosive dust in categories St1, St2 and St3
- ✓ Efficient, automatic electric shaker mechanism
- ✓ Weather-proof for positioning outdoors

The Nederman Auto M series is the latest generation of robust simple mechanically cleaned bag dust collectors suitable for non-continuous duty for industrial, commercial and educational locations. The dust collector is neat, compact, unobtrusive and it is easy to clean the exterior and has a robust weatherproof welded steel construction.















AUTO-M

[ProductCertifications]	[ce], [ex]
[ProductInstallation]	[Outdoor], [Indoor]
[ProductSuitableForCombustableDust]	True
[ProductFiltercleaningMethod]	[Shaking]
[ProductApplication]	[dust]
[ProductDustbinvolume]	75 or 150


## Models


	Item number	[ItemFilterType]	[ItemNbrofFilterElements]
	Z 7,5	[bag]	1
	Z 15	[bag]	1
	Z 25	[bag]	1
	Z 30	[bag]	1
	Z 50	[bag]	1
	Z 60	[bag]	1
	Z 75	[bag]	1
	Z 90	[bag]	1

## Accessories











	Accessory	Item number
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 1,1kW/400VAC   ELC-5GM13-011-400	7909062
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 3,0kW/400VAC   ELC-5GM13-030-400	7909063
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 5,5kW/400VAC   ELC-5GM13-055-400	7909064
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 11,0kW/400VAC   ELC-5GM13-110-400	7909065
	AutoM control cabinet type 5GM13 for frequency inverter fan control, power up to 15,0kW/400VAC   ELC-5GM13-150-400	7909066
	AutoM 7,5 filter bag NF101 - 3 seams (standard)	73005563
	AutoM 7,5 filter bag NF133 - 3 seams (standard)	73005565
	AutoM 15 filter bag NF101 - 3 seams (standard)	73005576
	AutoM 15 filter bag NF133 - 3 seams (standard)	73005578
	AutoM 15 filter bag NF205 - 3 seams (standard)	73005580
	AutoM 15 filter bag NF207 - 3 seams (standard)	73005581
	AutoM 25 filter bag NF101 - 3 seams (standard)	73005587
	AutoM 25 filter bag NF133 - 3 seams (standard)	73005589
	AutoM 25 filter bag NF205 - 3 seams (standard)	73005591

Auto M 25 filter bag NF207 - 3 seams (standard) 73005592  
 This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessory	Item number
 AutoM 30 filter bag NF101 - 3 seams (standard)	73005594


AUTO-M

# Accessories

	Accessory	Item number
	AutoM 30 filter bag NF133 - 3 seams (standard)	73005596
	AutoM 30 filter bag NF205 - 3 seams (standard)	73005598
	AutoM 30 filter bag NF207 - 3 seams (standard)	73005599
	Frequency inverter with 2 kPa pressure sensor. 1,5kW. IP66 enclosure	73008913
	Frequency inverter with 2kPa pressure sensor. 2,2kW. IP66 enclosure	73008914
	Frequency inverter with 2kPa pressure sensor. 4kW. IP66 enclosure	73008915
	Frequency inverter with 2kPa pressure sensor. 5,5kW. IP66 enclosure	73008916
	Frequency inverter with 5kPa pressure sensor. 7,5kW. IP66 enclosure	73008917
	Frequency inverter with 5kPa pressure sensor. 11kW. IP66 enclosure.	73008918
	Frequency inverter with 5kPa pressure sensor. 15kW. IP66 enclosure	73008919

**Nederman**

AUTO-M

