

## ระบบทำความสะอาดพื้น ท่อขนาด 51 มม.

เชื่อมต่อกับตัวF40 coupling












ชุดทำความสะอาดพื้นขนาด 51 มิลลิเมตร  
มีความยืดหยุ่นสูงและง่ายต่อการใช้งาน เหมาะสำหรับดูดฝุ่นหนัก เช่น  
เศษเหล็กในอุตสาหกรรม ส่วนประกอบเป็นตัวนำกระแสไฟฟ้า

- หัวดูดทำความสะอาดพื้นพร้อมล้อและฝาปิดผลิตจากยางสามารถถอดเปลี่ยนได้
- เหมาะสำหรับดูดฝุ่นเปียก
- ระบบป้องกันไฟฟ้าสถิตย์

Product name	ระบบทำความสะอาดพื้น ท่อขนาด 51 มม.
--------------	------------------------------------


















## ระบบทำความสะอาดพื้น ท่อขนาด 51 มม.

รูปภาพ	Description	รุ่น
	Floor cleaning equipment width 400 mm with small nylon wheels	42932000*
	Floor cleaning equipment width 500 mm with small nylon wheels Ø51	42932100*
	Floor cleaning equipment width 600 mm with small nylon wheels	42932200*
	Floor cleaning equipment width 400 mm with large rubber wheels Ø51	42932300*
	Floor cleaning equipment width 400 mm without wheels for wet suction	42932500**
	Floor cleaning equipment width 400 mm without wheels for dry suction Ø51	42932800*
	Floor cleaning equipment width 450 mm without wheels for wet and dry suction	42934200
	Floor cleaning equipment width 500 mm with rubber lip. With 5m PE hose	40191120
	Floor cleaning equipment width 500 mm with rubber lip. With 5m PE/C hose	40191190*

\*ATEX: Suitable for combustible dust with MIE (minimum ignition energy) < 1mJ. Ensure earthing to extraction unit. Not to be used in combustible gas atmospheres or extraction of explosive materials

\*\*ATEX: Suitable for combustible dust (zone 20,21,22) and gas (zone 1,2) of group IIA , IIB and IIC. Ensure earthing to extraction unit. Not to be used for extraction of explosive materials

## ระบบทำความสะอาดพื้น ท่อขนาด 51 มม.

อุปกรณ์เสริม		หมายเลขชิ้นส่วน
	Floor nozzle, width 400 mm with small nylon wheels	43840100*
	Floor suct head d51/450	43840001
	Floor nozzle, width 500 mm with small nylon wheels, Ø51	43840150*
	Floor cleaning equipment width 600 mm with small nylon wheels	43840200*
	Floor nozzle, width 400 mm with large rubber wheels, Ø51	43840250*
	Floor nozzle, width 500 mm with large rubber wheels	43840300*
	Floor nozzle, width 600 mm with large rubber wheels	43840350*
	Cleaning pipe, length 1100 mm, Ø51 mm	43842001**
	Elbow pipe, Ø51 mm	43842150**
	Floor nozzle width 400 mm without wheels for wet suction	43840500**
	Floor nozzle width 400 mm without wheels for dry suction, Ø51	43840550*
	Pipe stright D=50 L=500	40195940
	Elbow pipe D=50 GMW	40195950
	Rubber strip f/floor suct	43902073
	Nozzle floor brush L=500 GMW	40193500
	Nozzle floor L=500 rubber GMW	40193650
	Hose & Add.shelf	40196370
	Hose Shelf 60M 150x110	40195451

\*ATEX: This product is suitable to be used as cleaning equipment for combustible dusts with MIE (minimum ignition energy) >1 mJ. Product is to be properly earthed to the extraction unit. Not for usage in combustible gas atmospheres or extraction of xplosive materials.

\*\*ATEX: Suitable for combustible dust (zone 20,21,22) and gas (zone 1,2) of group IIA , IIB and IIC. Ensure earthing to extraction unit. Not to be used for extraction of explosive materials