

NOM 4

Oil mist filter for single CNC machines



The NOM 4 is an oil mist filter in compact design and therefore suitable for enclosed cabinet single CNC machines. The unit is easy to install and enables maximum flexibility in the workshop, as it is normally installed on top of the machine. The NOM 4 is suitable for emulsion mist.

- Low maintenance cost
- Self draining mist filter
- Easy to install
- High filtration efficiency
- Designed to fit into limited space with integrated fan

Product name	NOM 4
Noise level (dB(A))	66,1
Protection class	IP 55
Filter efficiency (%)	97,5
Compressed air requirement	No
Compressed air consumption	No
Installation	[Indoor]
Material	Housing made in oil resistant wet painted sheet metal.
Suitable for combustible dust	False
Material recycling (% weight)	69 (of weight)
Filter Area (m ²)	3
Capacity (max airflow m ³ /h)	400
Operating Temperature	5 - 60 C
Frequency (Hz)	50
Filter type	[cartridge]
Number of filter elements	1
Filter material	Glassfibre/Polyester
Weight (kg)	29
Power (kW)	0,37
Note	Includes HEPA filter with 5,5 m ² filterarea and with 99,97% efficiency.










NOM 4

Description	Power Voltage (V)	No of phases	Amperage (A)	[model]
NOM 4	230	1	3,15	12610368
NOM 4, HEPA	230	1	3,15	12610468*
NOM 4	400/230	3	1,0/1,75	12610568
NOM 4, HEPA	400/230	3	1,0/1,75	12610668*

**Includes HEPA filter with 5,5 m2 filterarea and with 99,97% efficiency.*

NOM 4

	[accessory]	[partno]
	Mainfilter (replacement) NOM 4 3m2	12373653
	HEPA 5,5m2 NOM 4 (replacement)	12373645
	Wall bracket.	10504035
	FMS 1-1.6 Fan Manual Starter incl. motor protector 1-1.6A	14502137
	FMS 2.5-4 Fan Manual Starter incl. motor protector 2.5-4A	14502337
	Drip tray NOM 4	12373657
	Machine stand NOM 4 including damper	12373705
	Pressure garge kit NOM 4	12373656

NOM 4

